
STRAINING WIRE & FASTENERS

Straining Wire & Fasteners

3/32" (2.38 mm) Straining Wire



3/32" Diameter, 7 x 7 Stranded Construction Cable

Straining wire is used as perimeter cable to support your netting installation.

- For use on larger jobs **OVER 100**' in length
- Use galvanized cable for normal areas of installation
- Use 316 grade stainless steel cable for areas near salt water, chemicals, etc.

BNSW500G332	500' (152.40 m) Galvanized	
BNSW250G332	250' (76.20 m) Galvanized	
BNSW500S332	500' (152.40 m) Stainless Steel (316)	
BNSW250S332 250' (76.20 m) Stainless Steel (316)		

Cable Clamps





Cable Clamps are an alternative method of securing cable (instead of ferrules).

- ▶ Use two (2) clamps for runs up to 100' (30.48 m); Use three (3) clamps for longer and / or heavier cable runs
- Use galvanized cable clamps for normal installation
- Use stainless steel cable clamps for areas near salt water or chemicals, etc.

BNCC-G	Cable Clamps Galvanized (10 per pack)
BNCC-S	Cable Clamps Stainless (10 per pack)

Ferrules





Ferrules are used to clamp down and secure your straining wire at the ends. Use two ferrules for extra security on tension.

- Use aluminum ferrules with galvanized cable
- ▶ Use copper ferrules with stainless steel cable
- ▶ Use 3/32" ferrules with 3/32" cable
- ▶ Use 1/16" ferrules with 1/16" cable
- For use with BNRCT-SBHS (p.21)

BNF332A	3/32" (2.38 mm) Aluminum (100 per pack)
BNF116A	1/16" (1.58 mm) Aluminum (100 per pack)
BNF332C	3/32" (2.38 mm) Copper (100 per pack)
BNF116C	1/16" (1.58 mm) Copper (100 per pack)

1/16" (1.58 mm) Straining Wire



1/16" Diameter, 7 x 7 Stranded Construction Cable

Straining wire is used as perimeter cable to support your netting installation.

- For use on smaller jobs UNDER 100' in length
- ▶ Use galvanized cable for normal areas of installation
- Use 316 grade stainless steel cable for areas near salt water, chemicals, etc.

BNSW500G116	500' (152.40 m) Galvanized	
BNSW250G116	250' (76.20 m) Galvanized	
BNSW500S116	500' (152.40 m) Stainless Steel (316)	
BNSW250S116 250' (76.20 m) Stainless Steel (316)		

Turnbuckles

BNGTM

BNSSTM

BNGTL

BNSSTL

Turnbuckles are used to tighten your straining wire to prevent sagging or drooping.

- Use galvanized turnbuckles with galvanized wire and aluminum ferrules
- Use stainless steel turnbuckles for installations in areas near salt water, chemicals, etc. Use with stainless steel wire and copper ferrules
- For cable runs under 25' (7.62 m), use M5 turnbuckles
- For cable runs of 25' 75' (7.62 m 22.86 m), use M6 turnbuckles
- For cable runs over 75' (22.86 m), use M8 turnbuckles
- Open turnbuckle completely before attaching straining wire, once attached, tighten turnbuckle until wire is taut



(10 per pack)

(10 per pack)

(10 per pack)

(10 per pack)


M6 Medium Galvanized Turnbuckle

M8 Large Galvanized Turnbuckle

M8 Large Stainless Steel Turnbuckle

M6 Medium Stainless Steel Turnbuckle

Corner Attachments



Corner attachments are under the most pressure and must be the strongest part of the net installation. We offer corner attachments for wood, steel, concrete and masonry.

Eye Bolt w/Nut



Eye Bolts are corner attachments for steel I-beams or other thick metals.

- In order to install Eye Bolts drill a hole using 8mm drill bit
- Use galvanized Eye Bolts with galvanized wire
- Use stainless steel Eye Bolts with stainless steel wire

	Bird Net Galvanized Eye Bolt w/Nut
	(20 per pack)
BNSEB-NUT	Bird Net Stainless Steel Eye Bolt w/
	Nut (10 per pack)

Screw Eyes





Large Screw Eye

Small Screw Eye

Screw Eyes are used as a corner attachment into wood.

- ▶ Use Large Screw Eyes for runs over 20' (6.09 m)
- Use Small Screw Eyes for runs under 20' (6.09 m)

BNLSE-G	Bird Net Large Wood Screw Eye
	Bird Net Large Wood Screw Eye Galvanized (100 per pack)
BNLSE-S	Bird Net Large Wood Screw Eye Stainless Steel (20 per pack)
	Stainless Steel (20 per pack)
BNSSE-G	Bird Net Small Wood Screw Eye Galvanized (100 per pack)
	Galvanized (100 per pack)
BNSSE-S	Bird Net Small Wood Screw Eye
	Stainless Steel (20 per pack)

Net Bolts



Net Bolts are high load bearing expansion bolts used as corner attachments for masonry, concrete or stone.

For M6 use 12 mm drill bit (p.22)
For M8 use 14 mm drill bit (p.22)

- Use galvanized Net Bolts with galvanized wire
- ▶ Use stainless steel Net Bolts with stainless steel wire
- Use M6/Medium Net Bolts for cable runs under 100' (30.48 m)
- Use M8/Large Net Bolts for cable runs over 100' (30.48 m)

BNM6EB	M6 Medium Net Bolt Galvanized (10 per pack)	
BNM6SSEB	M6 Medium Net Bolt Stainless Steel	
	(10 per pack)	
BNM8EB	M8 Large Net Bolt Galvanized	
	(10 per pack)	

Mini-Net Bolt



Mini-Net Bolts are corner attachments used for small cable runs of less than 20' [6.09 m].

Use 8 mm drill bit (p.20)

- ▶ Use galvanized Net Bolts with galvanized wire
- Use stainless steel Net Bolts with stainless steel wire
- Use M6/Medium Net Bolts for cable runs under 100' (30.48 m)
- ▶ Use M8/Large Net Bolts for cable runs over 100' (30.48 m)

Mini-Net Bolt Galvanized (10 per pack)
Mini-Net Bolt Stainless Steel (10 per pack)

Girder Clamp



Girder Clamps are used to attach netting to girders and can be used as corner attachments when drilling is not an option


- For steel up to 3" (7.62 cm) thickness
- Can also be used as an intermediate attachment
- Attach bolt onto flat steel or I-beam

BNGCL-3

Girder Clamp - up to 3" (7.62 cm) (10 per pack)

Intermediate Attachments

Multi-Purpose Cable Bracket



Multi-Purpose Cable Brackets are intermediate attachments used to secure cable around the perimeter of the net installation.

- Can be installed for permanent installation by running your cable through bracket hole
- Can be installed for easy release by running cable in hook of bracket

BNMPCB125-100

1.25" (3.17 cm) Bracket (100 per pack)

Lag Screws



Lag Screws are intermediate attachments used to secure cable around the perimeter of a net installation.

- Lag Screws are ideal for concrete, stucco, and wood
- Use Anchor for extra support when using small Lag Screws
- ▶ 100 per pack

BNLS-SSM	Small Steel Lag Screw (100 per pack)
BNLS-ASM	Lag Screw Anchor (small) (100 per pack)
BNLS-LGG	Large Galvanized Lag Screw (100 per pack)

Thin Wire Net Clip



Thin Wire Net Clips are ideal for small net installations that require the net to be removed from time to time.

Stainless steel intermediate attachment

BNTWNC-1

Thin Wire Net Clip (100 per pack)

Multi-Purpose Cable Bracket with Hilti Pin



Can be installed for permanent installation or easy release

For use with BNHS-27 (p.22)

Multi-Purpose Cable Brackets with Hilti Pins are intermediate attachments used to secure cable around the perimeter of the net installation.

 Multi-Purpose Cable Brackets with Hilti Pins are ideal for attaching to concrete or steel. (Hilti Gun required)

BNMPCB-125HP-C	1.25" (3.17 cm) Bracket w/Hilti
	pins for concrete (100 per pack)
BNMPCB-125HP-S	1.25" (3.17 cm) Bracket w/Hilti
	pins for steel (100 per pack)

Net Spikes



Use 6.5 mm drill bit (p.22)

Use 5.0 mm drill bit (p.22)

Net Spikes are used as an intermediate attachment when securing netting into concrete.

- Small net spikes have a bend in the body
- Large net spikes will "flange" out when hammered

	Bird Net 3/16" (4.76 mm) Diameter Small Spike (100 per pack)	
BNNS-LG	Bird Net 1/4" (6.35 mm) Diameter	
	Large Spike (100 per pack)	

Stainless Steel Net Loop



Stainless Steel Net Loops are intermediate attachments ideal for wood and sheet metal

To secure, use self tapping sheet metal screws, or wood screws

BNNL

Bird Net Loop (100 per pack)

Intermediate Attachments



Intermediate attachments are used to secure your cable around a netting installation to prevent gaps where birds could enter. We offer intermediate attachments for wood, steel, concrete and masonry.

Split Pins and Anchor Rivets



Split Pins and Anchor Rivets are intermediate attachments used on stone or brick surfaces.

Use 6.5 mm drill bit (p.22)

- Low profile intermediate attachment
- Available in two sizes

BN10R	1" (2.54 cm) Rivet (100 per pack)	
BN10SP	1" (2.54 cm) Stainless Steel	
	Split Pin (100 per pack)	
BN15R	1.5" (3.81 cm) Rivet (100 per pack)	
BN15SP	1.5" (3.81 cm) Stainless Steel Split Pin (100 per pack)	

S-Clips



S-Clips are intermediate attachments that are secured to the perimeter surface on one end and straining wire is strung through the other.

- ▶ 100 per pack
- ▶ Hilti pin available for concrete or steel

BNMSCLP	S-Clip (100 per pack)	
	S-Clip w/Hilti Pin for concrete [100 per pack]	
BNMSCLP-PIN-S	S-Clip w/Hilti Pin for steel (100 per pack)	

2" Heavy Duty Steel Clamp



Our Heavy Duty Steel Clamp creates a strong hold on steel and I-beams. Designed for large installations, it has a jaw strength of 630 lbs. of tensioned weight and a 2" opening.

- ▶ Holds straining wire to steel
 - Supports up to 630 lbs
- ▶ 4 per pack

BNBCLP-2

2" (5.08 cm) Heavy Duty Steel Clamp (4 per pack)

6" Roof Tile Bracket



6" Roof Tile Brackets are intermediate attachments used to install netting on roofs that have tiles.

- Slide underneath the tile to create a bracket for netting
- ▶ 10 per pack

BNRTB-600

6" (15.24 cm) Roof Tile Bracket (10 per pack)

Girder Clips



Girder Clips are intermediate attachments designed to attach cable to I-beams or steel surfaces.

- Clips hammer directly onto the I-beam to secure the cable
- > Zinc coated spring steel attachments come in 4 widths

Girder Clip: 1/16" - 1/8" [1.58 mm - 3.17 mm] [100 per pack]	
Girder Clip: 1/8" - 1/4"	
Girder Clip: 1/8" - 1/4" (3.17 mm - 6.35 mm) (100 per pack)	
Girder Clip: 1/4" - 1/2"	
Girder Clip: 1/4" - 1/2" (6.35 mm - 12.7 mm) (100 per pack)	
Girder Clip: 1/2" - 3/4"	
Girder Clip: 1/2" - 3/4" (12.7 mm - 19.05 mm) (100 per pack)	

ACCESSORIES

Bird Netting Accessories

Access Zippers



Zippers are installed over areas that will need to be opened such as under lighting fixtures or A.C. units.

- Install Zippers to the netting using hog rings
- Available in 8 sizes and 3 colors

Part #	Length	Part #	Length
BNZ-12B	1'(.30 m) Black	BNZ-12S	1' (.30 m) Stone
BNZ-18B	1.5' (.45 m) Black	BNZ-36S	3' (.91 m) Stone
BNZ-24B	2' (.61 m) Black	BNZ-72S	6' (1.8 m) Stone
BNZ-36B	3' (.91 m) Black	BNZ-12W	1' (.30 m) White
BNZ-48B	4' (1.21 m) Black	BNZ-36W	3' (.91 m) White
BNZ-72B	6' (1.82 m) Black	BNZ-72W	6' (1.8 m) White
BNZ-96B	8' (2.43 m) Black	BNZ-120B	10' (3.04 m) Black

Bird Scape



Bird Scape is a netting accessory that lets trapped birds leave netted off areas. Bird Scape has a funnel that birds can fly out of, but not back into.

Installs directly into bird netting with hog rings.

BNBS-05 Bird Scape (1 per pack)

Screw Eye Driver



The Screw Eye Driver is a small drill attachment used for installing Screw Eyes into wood surfaces.

For use with BNSSE-G and BNSSE-S (p. 19)

BNSED Bird Net Screw Eye Driver Tool

Hilti .27 Cartridges



Hilti Cartridges are powder activated boosters used in a Hilti gun to secure attachments to steel and concrete.

For use with **BNMPCB-125HP-C** and **BNMPCB-125HP-S** (p. 20)

BNHS-27

Bird Net Hilti .27 Booster Loads (100 per pack)

Net Clips



An alternative to zippers

Net Clips are installed over areas that will need to be opened such as under lighting fixtures or A.C. units.

Stainless Steel Net Clips join pieces of netting to allow for easy removal of net panels for access

	3/4" (1.90 cm) Net Clip (100 per pack)
BNNC-200	2" (5.08 cm) Net Clip (100 per pack)

Self-Adhere Anchors



The Self Adhere Bird Net Anchors are used on small net jobs to hold the cable in place where drilling is not an option. Clean the surface before attaching anchors.

- Velcro makes for fast and easy access
- Available in black or stone

Bird Net Velcro Net Anchors Black (100 per pack)	
Bird Net Velcro Net Anchors Stone	
(100 per pack)	

Lag Screw Driver



The Lag Screw Driver is a drill attachment used for installing lag screws into wood surfaces.

For use with BNLS-SSM and BNLS-LGG (p. 20)

BNLSD Lag Screw Driver

SDS Masonry Drill Bits



Masonry Drill Bits are used for drilling into concrete, brick, block, stone or other masonry.

▶ Penetrates up to 50% faster than standard masonry bits

BNDB0500	Bird Net Drill Bit 5.0mm x 100mm	
BNDB0600	Bird Net Drill Bit 6.0mm x 100mm	
BNDB0650	Bird Net Drill Bit 6.5mm x 100mm	
BNDB0800	Bird Net Drill Bit 8.0mm x 100mm	
BNDB0100	Bird Net Drill Bit 10mm x 100mm	
BNDB0120	Bird Net Drill Bit 12mm x 100mm	
BNDB0140 Bird Net Drill Bit 14mm x 100mm		

Bird Netting Tools

Hog Ring Tools are used for attaching bird netting to the perimeter cable by crimping a hog ring around both. The hand held hog ring tool holds one cartridge of 50 hog rings.

Hog Ring Tool and Hog Rings



- Use galvanized rings for normal areas of installation
- Use stainless steel rings near salt water or chemicals

BNHRT	Bird Net Hog Ring Tool	
BNHRG	RG Galvanized Hog Rings (2,500 per box)	
BNHRS	Stainless Steel Hog Rings (2,500 per box)	

Stanley Bostitch Pneumatic Hog Ring Tool and Hog Rings



The Pneumatic Hog Ring Tool from Stanley Bostitch uses compressed air to quickly and efficiently install hog rings around a net installation.

- ▶ Fast operating / saves time and money
- Ideal for large jobs
- Use stainless steel Hog Rings for areas near salt water, chemicals, etc.

BNHRTPN	Pneumatic Hog Ring Tool	
BNHRPG	Galvanized Hog Rings (10,000 per box)	
BNHRPS	Stainless Steel Hog Rings (10,000 per box)	

■ Bird Net Cable Cutter



Bird Net Cable Cutter is a long lasting professional grade tool used to cut heavy duty cable. It will cut both 1/16" and 3/32" straining wire.

- Long lasting, high quality tool
- Easy to use

BNCCT Bird Net Cable Cutting Tool



- Our most ergonomic manual hog ring tool
- Use galvanized rings for normal areas of installation
- Use stainless steel rings near salt water or chemicals

	_
BNHRT-B14 Bird Net Hog Ring Tool B14	
	B14 Galvanized Hog Rings (2,500/box)
BNHRT-B14-RING-SS	B14 Stainless Steel Hog Rings (2,500/box)

■ Bird•B•Gone Pneumatic Hog Ring Tool and Hog Rings



The Pneumatic Hog Ring Tool uses compressed air to quickly and efficiently install hog rings around a net installation.

- ▶ Fast operating / saves time and money
- Ideal for large jobs
- Use stainless steel Hog Rings for areas near salt water, chemicals, etc.

BNHRTPN-ACO1CH	Pneumatic Hog Ring Tool	
BNHRPG-AC31CH Galvanized Hog Rings (10,000 per box)		
BNHRPS-AC31CH Stainless Steel Hog Rings (10,000 per		

Bird Net Ratchet Crimp Tool



The Ratchet Crimp Tool is used for crimping ferrules around your straining wire.

 \blacktriangleright Works for ferrules sized 1/16" (1.58 mm) to 3/32" (2.38 mm)

BNRCT-SBHS

Bird Net Ratchet Crimp Tool

Bird Jolt Flat Track™

Now available in red and clear!



Advantages & Benefits

- #1 Specified electric track by architects and government agencies!
- Does not harm birds!
- Patented "anti-arcing" design means the ultimate in safety!
- Effective for both small and large pest birds!
- Crush proof! Will continue to work even if stepped on by window washers or building maintenance crews!
- Conforms to any surface ideal for channel letters and other curved surfaces!
- Glue troughs insulate conductors and allow for easy installation with construction grade adhesive!
- Completely flexible; can bend 360°!
- Low profile and virtually invisible! Only 1/4" (6.35 mm) tall!
- Lightweight! 100' (30.48 m) kit weighs only 16 lbs (7.25 kg)!
- "Snug-fit" connectors make it the easiest shock system to install!
- Comes in easy to dispense box!
- Easy to cut with scissors!
- ▶ Manufactured by Bird•B•Gone in the USA!



Available in 6 colors!

Bird Species	All species	
Where to Use	Ledges, signs, rooftops, I-beams, parapet walls, conduit, flat or curved surfaces	
Material	Lightweight flexible U.V. stabilized PVC with knitted wire mesh "tube-in-tube" design	
Bird Pressure	Light to Heavy	

Bird Jolt Flat Track™ is a low profile electrical track system which produces a mild electrical "jolt" when birds land on it. It uses copper knitted wire mesh, in a continuous "tube-in-tube" stocking design. This allows for greater conductivity, strength and reliability. The copper mesh is resistant to corrosion, alkaloids and acidic environments.

To install: Installation requires general knowledge of electrical systems. If you have questions or need an authorized installer call us at 1-800-392-6915.

CLEAR TRACK



The Difference is CLEAR!

Bird Jolt Flat Track™ is the <u>only</u> electric track bird deterrent system with multi-patented anti-arcing and glue trough designs.

- The ultimate in bird behavior modification!
- Works for every surface color!



Easily glues in place.
Construction grade adhesives available on page 49.

Bird Jolt Flat Track™ Kit



Bird Jolt Flat Track Kits come in a lightweight, easy to dispense box with carrying handle. Each kit contains the key components used in standard installations!

For chargers and additional components see (page 28)



Bird Jolt Flat Track™ (Track Only)

Part #	Length	Color
BJFT-GRY	100' (30.48 m)	Gray
BJFT-STN	100' (30.48 m)	Stone
BJFT-TER	100' (30.48 m)	Terracotta
BJFT-BLK	100' (30.48 m)	Black
BJFT-RED	100' (30.48 m)	Red
BJFT-CLR	100' (30.48 m)	Clear



Snug-Fit Connectors

Used to connect track to a charger, to branch off in a new direction, or to connect two pieces of track.

Part #	Units Per Pack	Color
BJFT-SFC10	10	Grey
BJFT-SFC10/BLK	10	Black




Blue Wire Connectors

Used to connect electric track together, or to a charger from the Snug-Fit Connectors.

BJFT-BCN100

Blue Wire Connectors (100 per pack)

Cross Section Patented Anti-Arcing Design



Kit Includes

Bird Jolt Flat Track (Choose Color) 100' (30.48 m)

Lead-in Connector Loops 2 ea.

"Snug-Fit" Track Connectors 3 ea.

Bilingual Warning Labels 10 ea.

"Snug-Fit" Corner Connectors 3 ea.

Blue Wire Connectors 10 ea.

Part #	Length	Color
BJFTKIT/GRY	100' (30.48 m)	Gray
BJFTKIT/STN	100' (30.48 m)	Stone
BJFTKIT/TER	100' (30.48 m)	Terracotta
BJFTKIT/BLK	100' (30.48 m)	Black
BJFTKIT/RED	100' (30.48 m)	Red
BJFTKIT/CLR	100' (30.48 m)	Clear



Snug-Fit Corner Connectors

Used to turn a corner with the electric track. Can be used similar to the Snug-Fit Connectors.

Part #	Units Per Pack	Color
BJFT-SFCC	10	Grey
BJFT-SFCC/BLK	10	Black



Anti-Damming Risers

Used to lift track to prevent water from damming, or to install on a surface that is hard to glue onto.

BJFT-ADR

Anti-Damming Risers (10 per pack)

Shock Track



Advantages & Benefits

- Does not harm birds!
- Low profile, virtually invisible!
- ▶ Easy to corner! No need to cut and re-connect!
- Crush proof!
- Available in 100' kits complete with necessary hardware!
- Easy to install, just glue it or screw it down!
- Can conform to any surface! Can bend side-to-side and up and down!
- "Anti-arcing" design means the ultimate in safety!
- "Flow-through" design will not let water dam behind it!
- Super light! 100' (30.48 m) kit weighs only 10 lbs (4.53 kg) and is easy to install!
- ▶ Manufactured by Bird•B•Gone in the USA!




Our electric track systems were independently quality tested in Knoxville, TN for effectiveness and durability!

Available in 4 colors!



Bird Species	All species
Where to Use	Ledges, signs, rooftops, I-beams, parapet walls, flat or curved surfaces
Material	Flexible PVC base with stainless steel wires heat staked to the track. U.V. protected.
Bird Pressure	Light to Heavy

The Shock Track System is a unique electrically charged track that gives birds a mild shock when they land on it. The low profile track has a "flow through" design which prevents water from accumulating around the track. Pre-drilled holes along the base allow for nailing, screwing or gluing the track to most surfaces.



To install: Installation requires general knowledge of electrical systems. If you have questions or need an authorized installer call us at 1-800-392-6915

Easily glues in place. Construction grade adhesives available on page 49.



CAD Details and specifications available at www.birdbgone.com

Shock Track Kit



Shock Track Kits contain the key components used in standard installations!

For chargers and additional components see (page 28)



Shock Track $^{\top M}$ (Track Only)

Part #	Length	Color
ST-100GRY	100' (30.48 m)	Gray
ST-100STN	100' (30.48 m)	Stone
ST-100TER	100' (30.48 m)	Terracotta
ST-100BLK	100' (30.48 m)	Black



Closed End Connector

Part #

STKIT/GRY

STKIT/STN

STKIT/TER

STKIT/BLK

Kit Includes

Mounting Clips

Connector Loop

Shock Track Connector

Bilingual Warning labels

Shock Track (Choose Color)

Blue T-Tap Quick Disconnect
Red Quick Disconnect Insulated

Used to connect track to a charger, to branch off or connect two pieces.

ST-CTR10 (Grey) Connector (10 per pack)



Length

100' (30.48 m)

100' (30.48 m)

100' (30.48 m)

100' (30.48 m)

Quick Disconnect

Color

Gray

Stone

Black

Terracotta

30 ea. 10 ea.

10 ea. 2 ea.

3 ea.

10 ea.

100' (30.48 m)

Used with T-Tap Disconnects to "t-off" track, or attach track to a charger.

STREDQD-20

Quick Disconnect (20 per pack)



STBLUETT-20

Copper Crimps

T-Tap

Used with Quick Disconnects to "t-off"

track or attach track to a charger.

Disconnect

T-Tap Disconnect

(20 per pack)

Used to attach lead-in wire to the wire running along the top of the track.

ST-CC100

Copper Crimps [100 per pack]



Used to install track on surfaces that are difficult to glue onto.

ST-MC30 (Clear)

Mounting Clips (30 per pack)



Closed End Insulated Crimp Sleeve

Used to attach lead-in wire to the wire running along the top of the track.

ST-CES20

Insulated Crimp Sleeve (20 per pack)


Electric Track Components

Suggested Electric Track Spacing

(Flat Track and Shock Track)


Every situation is different. Call us for installation advice! (800) 392-6915

Light Infestation (large birds)



For light infestations it's recommended to place a single row of track at the outer edge(s) of the affected area.

Heavy Infestation (large or small birds)



For heavy infestations or areas with small birds it's recommended to place multiple rows of track.

Shared Track Components

Connector Loops



Used to attach the copper Lead-In Wire to your charger.

STPWC-10

Connector Loops (10 per pack)

Bilingual Warning Labels



Placed every 10' to warn people of possible shock. (English/Spanish)

BJFTWRNBI-10

Bilingual Warning Labels (10 per pack)

14 Gauge Marine Grade Copper Lead-in Wire







Used to connect your charger to the electric track systems. It can also be used to connect sections of track and is offered in three colors and three roll sizes.

Part #	Length	Color
BJFT-LIW20BLK	20' (6.09 m)	Black
BJFT-LIW50BLK	50' (15.24 m)	Black
BJFT-LIW100BLK	100' (30.48 m)	Black
BJFT-LIW20GRY	20' (6.09 m)	Gray
BJFT-LIW50GRY	50' (15.24 m)	Gray
BJFT-LIW100GRY	100' (30.48 m)	Gray
BJFT-LIW20STN	20' (6.09 m)	Stone
BJFT-LIW50STN	50' (15.24 m)	Stone
BJFT-LIW100STN	100' (30.48 m)	Stone

Electric Track Chargers



Solar Charger



Uses sunlight to supply power up to 300' of electric track. Completely weatherproof.

Part #	CHG-SLR740
Area of Coverage	300' (91.44 m) of Track
Input Voltage	4 VDC
Output Voltage	7.0 KV (+/-) 20% Open Circuit Voltage, Intermittent DC Output
Dimensions	9.75" x 6.5" x 6.5" [24.77 cm x 16.51 cm x 16.51 cm]
Weight	3.5 lbs. (1.59 kg)

Direct Charger (up to 500')



Plugs into a regular 110v outlet and supplies power up to 500' of Electric Track. If outdoors, use Weatherproof Box.

Part #	CHG-AC750
Area of Coverage	500' (152.4 m) of Track
Input Voltage	110 - 120VAC
Output Voltage	750 V (+/-) 20% Open Circuit Voltage, Intermittent AC Output
Dimensions	5.4" x 3.6" x 7" [13.72 cm x 9.14 cm x 17.78 cm]
Weight	2.2 lbs (1 kg)

Voltage Tester



Used with the Electric Track systems to test the systems' output voltage.

BJFT-VLT

Voltage Tester

Solar Battery Replacement



For use with CHG-SLR740

Battery for the Solar Charger should be replaced about once a year.

CHG-SLR740BAT | Solar Battery

Solar Battery Replacement

Waterproof Box



Protects Direct Chargers from weather when installed outdoors.

CHG-ACBOX

Waterproof Box

Bird Slope™



Bird Slope installed on window sills

Advantages & Benefits

- Prevents birds from landing and nesting on ledges up to 10" (25.40 cm) wide!
- ▶ Effective for both large and small birds!
- Ideal for parking garages, I-beams and 90° ledges!
- Unique "Slope Extender" for areas up to 10" (25.40 cm)!
- Glue trough on underside for easy adhesive application!
- ▶ Easy to install End Caps prevents birds from getting behind Slope!
- ▶ Made of a U.V. protected outdoor grade PVC plastic!
- ▶ Longest guarantee and lowest cost!
- 4' (1.21 m) sections for fast installation!
- ▶ Manufactured by Bird•B•Gone in the U.S.A.!



Bird Species	All species
Where to Use	Ledges, parking garages, I-beams with widths up to 10" (25.40 cm)
Material	U.V. protected outdoor grade PVC
Bird Pressure	Light to Heavy
Warranty	2 years

Bird Slope's unique design makes it impossible for birds to land or roost on 90° areas like eaves and ledges.



To install: Surface should be clean and dry before installation. Bird Slope covers a 6" ledge; for larger ledges Extenders are available. Glue onto surface using glue troughs. End Caps should be installed to prevent birds from getting behind Slope.



Bird Slope blocks birds from landing or gaining access to unwanted areas.

CAD Details and specifications available at www.birdbgone.com

Easily glues in place. Construction grade adhesives available on page 49.



Bird Slope™



End Caps



Patent Pending

End Caps block birds from entering the open area behind slope.

- Simply glue the end cap to each end
- Available in 2 colors

SLPECAP-GRY	10 per pack	Gray
SLPECAP-STN	10 per pack	Stone

Extender End Caps



Extender End Caps block birds from entering the open area behind slope.

- For use with Bird Slope Extenders
- ▶ Glues into place

SLPEXTCAP-GRY	10 per pack	Gray
SLPEXTCAP-STN	10 per pack	Stone

Mounting Clips




Use Mounting Clips to install Bird Slope on vertical surfaces.

- One clip every 1' (30.48 cm)
- 20 per pack

SLP-MC20	20 per pack	Clear
SLP-IVICEO	En hei hack	Cicai

Part #	Area of Coverage	Packing Size
SLP-GRY4 (Gray)	6.5" (16.51 cm)	4' (1.21 m) sections 48' (14.63 m) per box
SLP-STN4 (Stone)	6.5" (16.51 cm)	4' (1.21 m) sections 48' (14.63 m) per box



Bird Slope Extenders



- Covers ledges up to 10" (25.40 cm) wide!
- Easily adapts to wider ledges!
- Extender "snaps on" the top of bird slope
 Patent Pending

Bird Slope Extenders can be attached to cover ledges up to 10" wide.

Part #	Area of Coverage	Packing Size
SLPEXT-GRY4	10"	4' (1.21 m) sections
(Gray)	(25.40 cm)	48' (14.63 m) per box
SLPEXT-STN4		4' (1.21 m) sections
(Stone)	(25.40 cm)	48' (14.63 m) per box

Slope & Extender Connectors



- ▶ Connectors available for Bird Slope and Slope Extenders
- Ideal for uneven surfaces
- ▶ Creates a seamless application
- ▶ Snaps into place

Slope Connectors eliminate gaps between two pieces of Slope.

SLPCONGRY-10	Slope Connector (10 pack)	Gray
SLPCONSTN-10	Slope Connector (10 pack)	Stone
SLPCONEXTGRY-10	Extender Connector (10 pack)	Gray
SLPCONEXTSTN-10	Extender Connector (10 pack)	Stone

Bird Wire



Bird Wire installed on window ledges

Advantages & Benefits


- #1 Bird Wire system specified by architects! CAD details and specifications available at www.birdbgone.com
- Low profile and low visibility!
- Low maintenance!
- Ideal for hand rails!
- ▶ Affordable pricing!
- Industry leading 5 year guarantee!
- Approved for use on federal and state government structures!
- Ideal for large birds such as pigeons, gulls and crows!




Industry Leading 5 Year Guarantee

Bird Species	Pigeons and seagulls	
Where to Use	Ledges, signs, rooftops, curved or flat surfaces	
Material	Stainless steel wire coated with U.V. stabilized clear nylon	
Bird Pressure	Light to Medium	
Warranty	5-Year	

Bird Wire is a post and wire system that provides an unstable landing area for pigeons or seagulls. The Bird Wire system is low profile and ideal where aesthetics are a concern.



To install: Surface should be clean and dry before installation. Measure surface area to determine how many rows are required. Posts are placed every 5' with a new spring every 10'. Alternate post heights when installing multiple rows.



Bird Wire involves a series of stainless steel posts supporting nylon coated stainless steel wire. The wire is tensioned between the posts using springs to create an unstable landing surface.

Bird Wire

Nylon Coated Bird Wire



Bird Wire is strung between posts.

- ▶ 316 Stainless steel wire coated with U.V. stabilized clear nylon
- ▶ .045 mm 1 x 7 wire

BWNCW1	820' (249.94 m) Roll	
BWNCW2	328' (99.97 m) Roll	

Glue-On Bases



Glue-On Bases can be screwed or glued onto surfaces where drilling is not an option.

- U.V. protected glass filled nylon
- Support Bird Wire posts

BWB100	Gray Bases (100 per pack)

BWB050	Gray Bases (50 per pack)

Anchor Rivets



Anchor Rivets support Bird Wire posts when drilling into surface.

Use 6.5 mm drill bit

	1" (25.4 mm) Anchor Rivet (100 per pack)	
BN15R	1.5" (38.1 mm) Anchor Rivet	
	(100 per pack)	

Stainless Steel Posts



Stainless Steel Posts are used to suspend Bird Wire.

- 4 mm diameter, 316 marine grade stainless steel posts
- Ends are beveled to aid installation into either the anchor rivet or stick-on base

BWSSP60-100	6" (15.24 cm) Post (100 per pack)	
BWSSP60-25 6" (15.24 cm) Post (25 per pack)		
BWSSP50-100	5" (12.70 cm) Post (100 per pack)	
BWSSP50-25	5" (12.70 cm) Post (25 per pack)v	
BWSSP45-100 4.5" (11.43 cm) Post (100 per pac		
BWSSP45-25	4.5" (11.43 cm) Post (25 per pack)	
BWSSP35-100 3.5" (8.89 cm) Post (100 per pack)		
BWSSP35-25 3.5" (8.89 cm) Post (25 per pack)		

■ Nickel-Plated Copper Crimps



Copper Crimps are used to secure the end of the bird wire.

BWCC-100

Copper Crimps (100 per pack)

■ 3-Post Ridge Bracket




3-Post Ridge Bracket is designed for roof peaks and special installation areas.

BW3PRB

3-Post Ridge Bracket (each) (3) 3.5" (8.89 cm) posts

Stainless Steel Springs





Stainless Steel Springs make the Bird Wire unstable when birds land.

- ▶ 316 Grade Stainless Steel Springs
- Available in two sizes: Standard and Micro

BWSSS-100	Standard Springs (100 per pack)	
BWSSS-50	Standard Springs (50 per pack)	
BWMS1	Micro Springs (100 per pack)	
BWMS1-5	Micro Springs (50 per pack)	

Gutter & Girder Clamps



Used to attach the Bird Wire system to gutters or girders. Fits I-beams up to 3/4" [1.91 cm] thick.

	Bird Wire Beam Clamp (10 per pack)
BWGC00	Bird Wire Gutter Clamp (10 per pack)

Railing Clamps

Used to attach the Bird Wire system to railings or pipes.

Adjustable stainless steel clamps with 3.5" (8.89 cm) Bird Wire posts

	,	
Part #	Clamp Size	Size of Railing
BWRC-1	1" (2.54 cm) Clamp 1 Post (10 per pack)	3/4" - 1-1/4" [1.91 cm - 3.17 cm]
BWRC-2	2" (5.08 cm) Clamp 1 Post (10 per pack)	1-5/16" - 2-1/2" (3.33 cm - 6.35 cm)
BWRC-3	3" (7.62 cm) Clamp 1 Post (10 per pack)	2-9/16" - 3-1/2" (6.51 cm - 8.89 cm)
BWRC-4	4" (10.16 cm) Clamp 1 Post (10 per pack)	3-9/16" - 4-1/2" (9.05 cm -11.43 cm)
BWRC-4/2	4" (10.16 cm) Clamp 2 Posts (10 per pack)	3-9/16" - 4-1/2" (9.05 cm -11.43 cm)
BWRC2P-6	6" (15.24 cm) Clamp 2 Posts (10 per pack)	5-1/8" - 6" [13.01 cm - 15.24 cm]

The Bird Spider 360°™





Bird Spiders are stand-alone physical deterrents used to scare large pest birds away from concentrated areas. The Bird Spiders "arms" bounce and sway in the wind, creating a visual distraction zone, birds will not want to come near the area being treated.

Advantages & Benefits

- Free PVC mounting base and hardware included!
- Available in 4 sizes: 2', 4', 6' and 8' diameters!
- Locking Pin in the base makes the Bird Spider extra sturdy and stable!
- No assembly required and easy to install!
- Virtually invisible and maintenance free!

The Bird Spider 360°™

Part #	Diameter	Area of Coverage
BS200SPN	2' (0.61 m)	1'-2' (0.30 m - 0.61 m)
BS400SPN	4' (1.21 m)	3'-4' (0.91 m - 1.21 m)
BS600SPN	6' (1.82 m)	4'-6' (1.21 m - 1.82 m)
BS800SPN	8' (2.43 m)	6'-8' (1.82 m - 2.43 m)

Boat Base



- Attaches directly to Bird Spider
- Secures with bungee cords or other tie-down systems

The Boat Base is used to install the Bird Spider around masts or spreaders.

BSBB2 Boat Base

Sand Bag Base



directly to Bird Spider Hardware included

The Sand Bag Base provides a portable weighted option for boat canvases and Biminis.

BSBB-SB Sand Bag Base


Bird Spider 360° Railing Mount



The Bird Spider Railing Mount easily attaches to railings sizes 1" to 1.86" thick.

RLMNT

Railing Mount



The Bird Spider 360° features long lasting U.V. protected polycarbonate tips that help the arms bounce and sway in the wind. The new tips also prevent scuffing on surfaces.






To install: Choose the size of Bird Spider 360° that best fits the area being treated. Once the base is in place, place the top onto the center pin and lightly push down. Insert the locking pin to the hold the top in place. The Bird Spider 360° can be glued or screwed down to most surfaces. It can also be installed using a railing mount, a sandbag base or a boat base.



Easily glues in place. Construction grade adhesives available on page 49.

Gull Wire





Gull Wire is easily installed by stringing wire between several poles located in a square pattern around the roof. The wire is installed 6-8' feet above the ground in a large mesh pattern. This prevents birds from landing as their wings would get caught in the wire. Birds will avoid landing on buildings with gull wire installed.

Advantages & Benefits

- ▶ Prevents gulls from landing on flat roofs!
- Cost effective and easy to install!
- Covers a large area!
- ▶ Virtually invisible from the ground!
- Fillable bases make the bases easy to move when desired!
- Can be installed without drilling into the roof of buildings!



Gull Wire Spool

Part #	Description
GW-WIRE	Gull Wire Polyethylene and Steel Wire

Bird Species


Where to Use
Rooftops, parking lots, landfills and other open flat areas

Material


Polyethylene/steel wire

Light to Medium

KEEP ROOFTOPS AND OUTDOOR AREAS GULL FREE!



Gull Wire protects large open flat spaces such as parking lots and outdoor eating areas by blocking the ability for gulls and other large birds to land. The wire is colored to create a grid in the bird's line of sight, preventing them from attempting to land. Gull Wire can be strung taut or loose depending on the location and can be tightened by using Bird Net Turnbuckles (pg. 18).



To install: Place bases approximately 6-10 feet apart in a grid pattern. Attach one end of Gull Wire to the bracket using ferrules to secure. Run wire across grid to other end and attach to end of turnbuckle. Connect turnbuckle to bracket. Continue to string wire in a criss-cross pattern until all brackets have perpendicular wires crossing them. Tighten wire by tightening turnbuckles until wire is taut.

Bird•B•Gone AAFS

(Automated Avian Fogging System)



Bird • B • Gone AAFS is an advanced hazing system that releases a nearly invisible fog into the air to deter pest birds from open spaces. The unit distributes methyl anthranilate, a non-toxic, food grade grape extract effective in repelling pest birds.

Advantages & Benefits

- Save money! Unit uses significantly less liquid repellent than other fogging units!
- Control panel visually shows repellent levels and tells you when to refill!
- Made in the U.S.A.!

AAFS Control Unit



Controls spray levels and spray times Touch pad controllable Controls up to 64 Spray Units

AAFS-CONTMOD

AAFS Control Unit

AAFS Spray Unit



- Holds one gallon bottle of repellent
- Easy to attach adjustable nozzle
- Advanced nozzle design sprays 5-micron particle size leaving no residue

AAFS-SPRYDROP Avian Fog Spray Unit **Bird Species**

Where to Use

All Birds Outdoor areas, roll up doors, loading

docks, parking garages

Material

Bird Pressure

Metal boxes distributing methyl anthranilate fog

Light to Medium

Air Tube Ouick Connect



• Poly Coupling for (2) 50' (15.24 m) Air Tubes

AAFS-COUPLER2

Air Tube Quick Connect

Poly Tube for Air



- Air Tube 50' (15.24 m) Length
- Connects Spray Unit to Spray Unit and for extended runs

AAFS-AIRTUBE

Poly Tube for Alr

Quick Connect Air Tube



Air Tube 5' (1.52 m) length

 Connects compressor to first Spray Unit

AAFS-QCKCONT

Quick Connect Air Tube

T-Network Cable Splitter



To attach Network Cable in two different directions

AAFS-TSPLIT

T-Network Cable Splitter

Network Cable Coupler



Attaches Network Cable together for longer cable runs

AAFS-NETCOUPLER Network Cable Coupler

Air Tube Ouick Connect



Poly Coupling for (3) 50' (15.24 m) Air Tubes

AAFS-TCOUPLER3 T Air Tube Quick Connect

Network Cable



- ▶ 50' (15.24 m) male to female
- ▶ Attaches first Spray Unit to Control Unit and Spray Unit to Spray Unit

AAFS-MFCABLE

Network Cable



Advantages & Benefits

- Uses sustainable wind energy!
- Ideal for docks and boats!
- ▶ Patent pending clip locks unit into place will not blow off in high winds!
- ▶ UV protected designed for outdoor use!
- Sweeps birds continually in a 6' diameter!
- Humane! Won't harm birds!

RPL360	Repeller 360°
RLMNT	Railing Mount
BSBB-SB	Sandbag Base

Bird Species	Starlings, pigeons, seagulls and larger birds
Where to Use	Boats, A/C units, signs, rooftops, marinas
Material	Polycarbonate fins and base supported by two stainless steel rods
Bird Pressure	Light to Medium

The Repeller 360° spins in the wind to prevent large birds such as gulls, pigeons and crows from landing in unwanted areas. The unit has a 6' diameter and is ideal for boats and docks!





The Railing Mount is easily attached to railings sizes 1" to 1.86" thick, simply tighten the screw until secure.

Solar Bird Repeller




Advantages & Benefits

- Solar powered with rechargeable batteries!
- ▶ Rechargeable batteries store power for use in low or no light!
- Lightweight propeller rotates at 30 RPMs!
- ▶ Telescoping arms cover a 5' (1.52 m) diameter!
- Sweeps birds continually in a 5' diameter!
- Humane! Won't harm birds!

RPLR-SLR1	Solar Bird Repeller
	(2) Replacement Telescoping Rods 2.5' (.076 m)

Bird Species	Starlings, pigeons, seagulls and larger birds
Where to Use	Boats, signs, docks, billboards, parapet walls, roofs or any flat surface
Material	Two 2.5' (0.76 m) adjustable stainless steel rods, solar powered motor generates power for extended coverage
Bird Pressure	Light to Medium



The Solar Repeller is a solar powered bird deterrent that uses continuous motion to prevent large pest birds from landing. Rotating "arms" mounted on top of the unit sweep birds off of signs, streetlights, balconies, boats, AC units and more!

Beakguard® Woodpecker Deterrent







Advantages & Benefits

- Environmentally friendly; it will not harm woodpeckers or any other bird species!
- Applies easily!
- Durable and weather-resistant!
- ▶ Applies to almost any surface!
- ▶ Effects are virtually immediate!



Bird Species	Woodpeckers	
Where to Use	Siding, stucco, foam, wooden poles, telephone poles, power poles	
Material	Elastomeric acrylic paint	
Bird Pressure	Light to heavy	

Beakguard is an elastomeric acrylic finish that applies to surfaces like standard latex paint, including: wood, fiber-cement, stucco, aluminum or vinyl. This compound immediately communicates a warning signal to woodpeckers, prompting them to find a more desirable location. BeakGuard offers outstanding durability, extended service life, maximum dirt pick-up resistance and weatherability in a vapor permeable, flexible membrane with exceptional color retention.

Part #	Description	Color	Coverage
WPK-BG-BRN	Beakguard (1 Gallon)	Brown	180 sq. ft. (16.72 sq. m)
WPK-BG-GRY	Beakguard (1 Gallon)	Grey	180 sq. ft. (16.72 sq. m)
WPK-BG-STN	Beakguard (1 Gallon)	Stone	180 sq. ft. (16.72 sq. m)
WPK-BG-WHT	Beakguard (1 Gallon)	White	180 sq. ft. (16.72 sq. m)

To install: BeakGuard® is easily applied to virtually any exterior surface including wood, fiber-cement, stucco, aluminum or vinyl. Apply like standard latex paint.

Sniff N' Stop Woodpecker Deterrent





Advantages & Benefits

- Durable once in place the solution will flex and move without separating from the wood!
- ▶ Sterilizes the decay in the wood!
- Built in odor continues to deter woodpeckers!
- ▶ Applies easily!

Bird Species	Woodpeckers	
Where to Use	Siding, wooden poles, telephone poles, power poles	
Material	Scented foam (polymer concrete) and resin	
Bird Pressure	Light to heavy	

Sniff N' Stop is a total solution to fixing and preventing structural damage caused by woodpeckers. Upon application, the foam solution (polymer concrete) expands to twice its size and the chemical compounds penetrate through any decay to bond into the un-decayed wood. Once in place the solution will flex and move without separating from the wood. The solution also has an odor that further repels woodpeckers.

Part #	Description	
WPK-SNS1	Sniff N' Stop IPAK (1 Pound Box)	
WPK-SNS3	Sniff N' Stop IPAK (3 Pound Box)	



Advantages & Benefits

- Creates a sticky surface which birds hate!
- Not harmful to birds and people!
- Designed for pigeons and starlings, not for use for protected species of birds.
- Lasts up to 6 months outdoors!
- ▶ Effective at wide temperature extremes: 15° F (-9° C) to 200° F (93° C)!
- Virtually invisible!

Part #	Description	Coverage
TBG-CASE	Transparent Bird Gel	120' (36.57 m) x
	(Case of 12)	3" (7.6 cm)

Bird Species	Pigeons and Starlings	
Where to Use	Ledges, l-beams, parapet walls, conduit, pipes, flat or curved surfaces	
Material	Polybutene 93% Inert 7%	
Bird Pressure	Light to Medium	

Transparent Bird Gel is a sticky gel used to keep pest birds off of horizontal surfaces. Birds can't stand the sticky sensation on their feet and will move on.



To install: Transparent Bird Gel is applied in a zig-zag pattern with no more than 2" (5 cm) gaps. Do not install on a vertical surface.



Advantages & Benefits

- Smell and sticky feeling on the feet of birds drives them away!
- Will not entrap non-targeted species!
- ▶ Made in the USA!
- Lasts up to 1 year per application!
- Easy to clean up using soap and water!
- Virtually invisible!

Part #	Description
BOG-CASE	Bird-OFF Gel (Case of 10 tubes)
BOG-5GAL	Bird-OFF Gel (5 Gallons)
BOG-AAP/GUN	Caulking Gun (24 oz.)
BOG-AAP/PLATE	Follow Plate (for use with 24oz Gun)

Bird Species
Pigeons and Starlings
Where to Use
Ledges, I-beams, parapet walls, conduit, pipes, flat or curved surfaces

Material
Geraniol white pepper, Mineral Oil, Silica

Bird Pressure
Light to Medium



Bird-OFF gel is a liquid gel used to keep pest birds off of horizontal surfaces. The unique combination of smells and sticky sensation on their feet causes birds to stop landing on the surface and leave the area. Bird-OFF Gel has no burning sensation and is safe for installers.

NO CAPSAICIN - WILL NOT BURN INSTALLER!

To install: Bird-OFF Gel is applied in a zig-zag pattern with no more than 2" (5 cm) gaps. Do not install on a vertical surface.

Avian Control™





Advantages & Benefits

- Can be distributed either by fog or spray.
- Covers a large area. Uses 12-42 oz per acre!
- Lasts up to 3 times longer than other goose deterrents!
- ▶ Unique patent pending formula increases efficiency!
- Safe for people, pets and birds! All ingredients considered "Generally Regarded As Safe" by the FDA!
- Low cost, effective solution!
- Run-off will not contaminate nearby bodies of water!

Bird Species

All Birds

Where to Use
Parks, golf courses, industrial parks, waterfront homes, athletic fields and more

Active
Ingredient
Anthranilate

Light to Medium



Avian Control™ is a non-lethal repellent that discourages birds from congregating on golf courses, parks, athletic fields, airports, vineyards and other areas where birds are grazing.

- Humane Does Not Harm Birds!
- Will Not Harm Grass or Shrubs!
- Will Not Wash Away From Rain or Sprinklers!

Using a unique patent pending formula, Avian Control irritates the birds' mucous membranes causing them to avoid the area. Avian Control can either be sprayed or fogged for desired effect.



Use a fogger to disperse Avian Control in large open areas such as parks and golf courses.

Part #	Description	Coverage
AVN-GAL	Avian Control	16,000 sq. ft (1,486 sq. m)
	(1 Gallon)	(1,486 sq. m)



Approved by the Environmental Protection Agency (EPA) for use on numerous crops to prevent damage from foraging birds.

Goose Repellent





Geese can't stand the taste!

Bird Species Where to Use Parks, golf courses, industrial parks, waterfront homes, athletic fields and more Active Ingredient Anthranilate Bird Pressure Geese Parks, golf courses, industrial parks, waterfront homes, athletic fields and more Methyl Anthranilate Light to Medium

Migrate Goose Repellent is a liquid repellent used to make grass areas unpalatable to geese. Migrate is made from a food grade grape extract that geese cannot stand.

To install: Mix 1 gallon concentrate with 14 gallons water. Apply to lawn and shrubbery with hand-held sprayer.

Advantages & Benefits

- Not harmful to birds and people!
- ▶ Keeps property clear of goose droppings!
- Geese will find treated area unpalatable and move on!
- Use on grass or other areas where geese are feeding!
- Applied with a hand-held sprayer!
- Water (rain) will not wash off product!
- ▶ 1 gallon treats 16,000 sq. ft!
- Run-off will not contaminate nearby bodies of water!

Part #	Description	Coverage
GRG-GAL1	Migrate Goose	16,000 sq. ft
	Repellent (1 Gallon)	(1,486 sq. m)

Fog Repellent



Advantages & Benefits

- Used to deter birds and geese from open spaces!
- Fine fog acts as an irritant to the trigeminal membrane causing birds to leave the area!
- Liquid repellent that will not harm birds or people!

Fog Force Fog Repellent is a liquid repellent that is sprayed into the air using a thermal fogger. It drives birds away from the area by irritating their trigeminal membrane.

Part #	Description	Coverage
BFFDA	Fog Force Repellent	16,000 sq. ft (1,486 sq. m)
	(1 Gallon)	(1,486 sq. m)

Bird Species	Geese	
Where to Use	Parks, golf courses, industrial parks, waterfront homes, athletic fields and more	
Active Ingredient	Methyl Anthranilate	
Bird Pressure	Light to Medium	



To install: Applied with a thermal fogger.

Mist Netting



Mist Net is a simple, humane way to capture and release trapped birds.

Advantages & Benefits

- Mist Net humanely captures birds for removal!
- Made from extremely fine fibers that birds cannot see!
- Will not harm birds!
- Designed to capture multiple birds with 1 net!
- Ideal for big box stores, warehouses, grocery stores or other indoor areas where birds are trapped!
- Available in 4 sizes!

To install: Mist Net is hung directly in birds' flight paths. When birds hit the net, they become immobile, which makes it easy to remove and set free outside of the structure.

Mist Nets	Dimensions	
MIST7X10	7' x 10' (2.13 m x 3.04 m)	
MIST10X20	10' x 20' (3.04 m x 6.09 m)	
MIST10X30	10' x 30' (3.04 m x 9.14 m)	
MIST10X40	10' x 40' (3.04 m x 12.19 m)	

Bird Species All Birds Where to Use Warehouses, Big Box Stores, Airplane Hangars, Grocery Stores Material U.V. Protected Nylon **Bird Pressure** Light - Heavy

Mist Net Kit



Mist Net Kit Includes

Mist Net	10' x 30' (3.04m x 9.14m)
Telescoping Poles	2 ea.
Hook Attachments	2 ea.
Magnet Attachmen	ts 2 ea.
Laser Pointer	1 ea.
Carrying Case	1 ea.
Magnet Covers	2 ea.

Our Mist Net Kit contains everything needed to capture and release trapped birds.

MISTCAP-KIT	10' x 30' (3.04 m x 9.14 m)
MISTCAP-KIT/20	10' x 20' (3.04 m x 6.08 m)

Hook Attachment



 Use to hang Mist Nets from metal ceiling beams

MISTHOOK Hook Attachment



Use Laser Pointer to scare birds into Mist Net

MISTLZR

Laser Pointer

Telescoping Pole

Use to hang Mist Net

MISTP18 One Telescoping Pole 18' (5.4m)

Magnet Attachment



Use to hang Mist Nets from metal ceiling beams

MISTMGNT Magnet Attachment

Magnet Cover



For easy removal of magnet attachment

MISTRCVR Rubber Magnet Cover

Carrying Case



Convenient for storing and transporting Mist Net components

MISTCS1

Mist Net Carrying Case



- Humane, will not harm birds!
- The Net Launcher is only 12.5 inches long and 2.3 lbs!
- Net launches up to 60 feet!
- 2" mesh effective for all birds!
- Used worldwide by animal control agencies and research scientists!
- Ideal for warehouses, food production sites, storage facilities, big box stores and other areas!
- Kit comes complete with everything needed including air cartridges and multiple net launchers!
- Used exclusively by the USDA, US Fish & Wildlife and APHIS!
- Made in the USA!



Catch and release birds and other animals humanely!

Mist Nets	Description
NETGUN/KIT-2	SuperTalon Ultra Net Launcher Kit 2" mesh (9'X9')
NETGUN/CARTRIDGE	Air Cartridges (35 grams)
NETGUN/CONE-2	Net Cone with 2" mesh (7' circle)
NETGUN/CONE-4	Net Cone with 4"mesh (7' circle)
NETGUN/CONE-4G	Net Cone with 4" mesh with grapples [7' circle]
NETGUN/CONE-6	Net Cone with 6" mesh (9'X9' Square)
NETGUN/NET-2	Net 2" mesh (9'X9' Square)
NETGUN/NET-6	Net 6" mesh (9'X9' Square)

Bird Species	All Birds
Where to Use	Where ever birds need to be relocated. Indoor or outdoor use.
Material	Durable plastic with nylon netting.
Bird Pressure	Light - Heavy

The Super Talon Ultra is a heavy duty hand held net launcher used to capture birds for later release. The Super Talon comes complete with accessories and a carrying case.



Super Talon Net Launcher Kit

Kit Includes:

- Firing Handle
- 2 Net Cones
- 10 Air Cartridges
- Carrying Strap
- 2 Replacement "O"Rings
- 1 Spare End Cover Cap
- A Lockable Aluminum Foam
- Lined Carrying Case

Additional mesh sizes available for wildlife control!




Just aim and shoot!

Professional Bird Traps











Slanted Surface Pigeon Trap with Shade, Food & Water

- · One 1-gallon water container and feeder pan
- Adjustable legs ideal for slanted surfaces
- Six one-way entry doors with door guard
- Heavy slide out galvanized flat pan and fold down landing platforms
- Hinged shade screens
- Capacity: 20+ birds
- 29 lbs. (13.15 kg)
- Dimensions: 36" x 24" x 10" (91.44 cm x 60.96 cm x 25.4 cm)

BMP-SW/AD-LEGS

Slanted Surface Pigeon Trap

Large Pigeon Trap with Shade. Food & Water

- One 1-gallon water container and feeder pan
- · Six one-way entry doors with door guard
- Divided trap with two access top doors
- Hinged shade screen
- Capacity: 30+ birds
- 23 lbs. (10.43 kg)
- Dimensions: 46" x 24" x 10" (116.84 cm x 60.96 cm x 25.4 cm)

BMP-SW/LP-SFW

Large Pigeon Trap

Pigeon Trap with Shade, Food & Water

- Three one-way entry doors with door guard
- Centered top access door for easy removal of birds
- Hinged shade screen
- Water container and feeder pan
- Capacity: 12+ birds
- Lightweight 10 lbs. (4.53 kg)
- Dimensions: 35" x 16" x 8" (88.90 cm x 40.64 cm x 20.32 cm)

BMP-SW/SP-SFW

Pigeon Trap

Snap Traps

- Simple to use with proven results.
- When bait tray is triggered, a spring loaded nylon net closes over the birds to trap them quickly and safely.
- Base of trap and net are green to blend in with its surroundings.
- This trap can be mounted on buildings, walls, and trees.
- The snap trap is powder coated for rust resistance.

Part #	Dimensions
BMP-SW/SNAP-S	17" x 17" x 2.5" (43.18 cm x 43.18 cm x 6.35 cm)
BMP-SW/SNAP-M	24" x 24" x 2.5" (60.96 cm x 60.96 cm x 6.35 cm)


Large Pigeon Hotel

- Four one-way entry doors
- Two top access doors
- Capacity: 25+ birds
- 19 lbs. (8.61 kg)
- Dimensions: 36" x 24" x 26" (91.4 cm x 60.9 cm x 66cm)

BMP-SW/HTL

Pigeon Trap

Professional Bird Traps




Sparrow Trap

- Two chamber
- Bi-level repeating trap
- Dual level design eliminates captured feeling by birds
- Large capacity (can hold a large number of sparrows)
- Lightweight: 4 lbs. (1.81 kg)
- Dimensions: 16" x 12" x 8" (40.64 cm x 30.48 cm x 20.32 cm)

BMP-SP2C

Sparrow Trap




Sparrow Trap with Food and Water

- Two top access removal doors
- · Bi-level with access to feed pan and water container
- Repeating trap
- Easy access to service feed and water station
- Six entry funnel doors (three per compartment)
- 13 lbs. (5.89 kg)
- Dimensions: 36" x 24" x 10" (91.44 cm x 60.96 cm x 25.40 cm)

BMP-SW/SSP3-WF

Sparrow Trap with Food and Water



Collapsible Pigeon Trap

- Easily assembles and collapses to 1" (2.54 cm) high
- One door on each side
- Capacity: 18+ pigeons
- Lightweight 14 lbs. (6.35 kg)
- Dimensions: 40" x 22" x 12" (101.60 cm x 55.88 cm x 30.48 cm)

BMP-PSCP

Collapsible Pigeon Trap




Pigeon Motel

- Ideal for commercial or residential use
- Two one way entry doors
- Each door has a door guard
- Easy to store and re-use
- Portable
- Capacity: 6+ birds
- Lightweight 5 lbs. (2.26 kg)
- Dimensions: 24" x 12" x 8" (60.96 cm x 30.48 cm x 20.32 cm)

BMP-SW/SPM

Pigeon Motel



Collapsible Pigeon Trap with Shade

- Four one way entry doors one on each side
- Easily assembles and collapses to 1" (2.54 cm) high
- Hinged shade screen
- Capacity: 12+ birds
- Lightweight 8 lbs. (3.62 kg)
- Dimensions: 35" x 16" x 8" (88.90 cm x 40.64 cm x 20.32 cm)

BMP-SW/CP-S

Collapsible Pigeon Trap with Shade

SOLAR BIRD CHASE SUPER SONIC

Solar Bird Chase Super Sonic™





Solar Powered Sound Deterrent

Advantages & Benefits

- ▶ Unit powered by sustainable solar energy!
- Deters birds from large open spaces with recorded bird distress and predator calls!
- Covers 1 acre!
- Comes with rechargeable battery!
- ▶ Water resistant meant for outdoor use!
- Programmable!
- Light sensor automatically power down the deterrent when the sun goes down!
- Unconditional 30 day money back guarantee!

Ideal For:

- Parks!
- Golf Courses!
- Athletic Fields!
- Water Front Properties!
- Campuses!

- Rooftops!
- Vineyards!
- Industrial Parks!
- Resorts!
- And more!



Gardens



Docks



Orchards



Rooftops

All Birds

Where to Use War

Warehouses, Rooftops, Yards, Open Lots

Bird Pressure

Bird Species

Light - Medium

The Solar Bird Chase Super Sonic™ is a solar powered sound deterrent that plays recorded bird distress and predator calls to deter birds from large open spaces.

- Powered By Sustainable Solar Energy!
- Covers Up To An Acre!
- Weather Resistant!

When birds hear the recorded calls their natural instinct is to flee the area. A solar panel mounted on top of the unit powers the system during the day.



The Solar Bird Chase Sonic is ideal for use in large open spaces where there is no access to a power source. Solar panels charge and store energy to keep the system operating day and night.

To Install: Place unit in sun for 8 hours to charge. Optionally you can plug in and charge it for 4 hours. Once the unit is fully charged, place the unit on a flat surface where it receives sun for most of the day. This will keep it optimally charged. Select the proper bird setting from the menu, choose day or night setting, adjust volume and watch the birds disappear.

		Coverage
UR58	Solar Bird Chase Super Sonic	1 acre

Bird Chase Super Sonic™



Bird Species All Birds
Where to Use Warehouses, Rooftops, Yards, Open Lots
Bird Pressure Light - Medium

The Bird Chase Super Sonic is an outdoor sound device used to deter pest birds. Distress and predator calls from 24 types of birds are broadcast for two minutes at ten minute intervals to scare pest birds from large open spaces.

Advantages & Benefits

- Now includes goose deterrent sounds!
- Deter birds from large open spaces with bird distress and predator calls!
- Low cost method of protecting your property!
- Features the distress and predator calls of 24 types of birds!
- ▶ Programmable, you can choose your target bird!
- U.V. protected and water resistant!
- Can be programmed to turn on/off automatically at night!
- Covers 1 acre. Add additional speakers for coverage up to 5 acres!
- ▶ 30-day unconditional money back guarantee!
- ▶ 100ft of speaker wire for each speaker!





Super Sonic Speakers (2) SONIC-SP2



Bird Chase Super Sonic Pro Pack 2

IB50-PPII

Part #	Description	Coverage
IB50-PCOM	Bird Chase Super Sonic	1 acre
IB50-PPII	Bird Chase Super Sonic Pro Pack 2	3 acres
IB50-PPIV	Bird Chase Super Sonic Pro Pack 4	5 acres
SONIC-SP2	Super Sonic Speakers (2)	2 acres



Bird Chase Super Sonic Pro Pack 4 **IB50-PPIV**

Visual Bird Deterrents

Flash Tape



- Iridescent foil tape scares birds away with reflective surface
- 1" (2.54 cm) wide x 50' (15.24 m) per roll

MMFT-050 Mylar Flash Tape

Bird-B-Gone Diverter



- Iridescent foil "predator" eye scares birds away
- 5 diverters per pack

SED-5 Bird•B•Gone Diverter

Bird-B-Gone Balloon



- Inflatable scare device
- Confuses birds with lifelike reflective "predator" eyes
- Includes flash tape

Bird•B•Gone Balloon

Physical Bird Deterrents

Scarecrow



- The motion activated infrared sensor detects birds when they are present
- "Fires" water over 1.000 times on only one 9 volt battery

SCRW-MAS

Scarecrow

Mini Scarecrow



- Sensor detects motion up to 3.5' (1 m) away
- Sprays compressed air - odorless and harmless
- Each can holds over 500 sprays

Copper Mesh



- Ideal for roof tiles and open spaces around dryer vents
- Pack tightly into cracks or holes for exclusion of pests and birds

SCRW-MINI

Mini Scarecrow

CMS-20

Copper Mesh 20' (6.09 m)

CMS-100

Copper Mesh 100' (30.48 m)

Cleaning Supplies



Disinfectant Cleaner

Concentrated: 8 ounces makes 16 quarts (4 gallons)!

*Includes all items shown

DIS-SQ8

Microcide SQ Disinfectant



Waste Digester

Disinfects and Eliminates Odors!

DISAZ-1GAL Airzyme Waste Digester

Installer Kit



Introducing the Bird • B • Gone Installer Kit - a heavy duty portable tool box that includes all the tools and hardware needed to start a successful bird control business.



- Heavy Duty Portable / Rolling Tool Box
- Hog Ring Tool
- Assorted Drill Bits
- Crimp Tool
- Cable Cutting Tool
- Lag Screw Driver
- Copper Mesh
- Construction Grade Adhesive
- Bird Wire: Cable, Posts, Glue on Bases, Crimps, and more!
- Bird Netting: Straining Wire, Corner Attachments, Intermediate Attachments, Turnbuckles, Ferrules, Hog Rings and more!

INST-KIT

Installer Kit

Adhesives & Sealants



Bird • B • Gone offers a quality line of adhesives to help match any of your job requirements. They are durable and meant for outdoor use.



Sikaflex

Additional colors available upon request!

Part #	Description	Coverage
ADFLEX-GRY	Gray Sealant	25' (7.62 m)



Ecobond

Complies with CA prop 65!



Part #	Description	Coverage
ADBOND-CLR	Clear Sealant	25' (7.62 m)



Part #	Description	
BWQAA-2	Quick Adhere	
BWQAAP	Quick Adhere Applicator	
BWQAAN-12	Quick Adhere Nozzles (12/pk)	

Vinyl Strip Doors



- Stop birds from entering buildings, warehouses and loading docks
- Can be used in conjunction with Bird Net 2000, Shock Track and other Bird•B•Gone products
- Custom sizes available
- Complete with hardware and ready to hang

Custom Size Strip Doors Flat Strip - Full Overlap

Part #	Door Width x Height	% of Overlap
VSD-08CS	8" x .080" (20.32 cm x .20 cm) Door Strip x Door Height	Full
VSD-12CS	12" x .120" (30.48 cm x .3048 cm) Door Strip x Door Height	Full
VSD-16CS	16" x .160" (40.64 cm x .406 cm) Door Strip x Door Height	Full

Standard Size Strip Doors Made with Standard Flat Strip

Part #	Door Width x Height	% of Overlap
VSD-3X7	3' w x 7' h (.914 m w x 2.13 m h)	50%
VSD-4X8	4' w x 8' h (1.21 m w x 2.43 m h)	50%
VSD-6X8	6' w x 8' h (1.82 m w x 2.43 m h)	50%
VSD-8X8	8' w x 8' h (2.43 m w x 2.43 m h)	50%
VSD-8X10	8' w x 10' h (2.43 m w x 3.04 m h)	66%
VSD-10X10	10' w x 10' h (3.04 m w x 3.04 m h)	66%
VSD-12X12	12' w x 12' h (3.66 m w x 3.66 m h)	66%



Vinyl Strip Doors can be purchased in either standard sizes or custom cut widths and lengths.



Vinyl Strip Doors are especially effective at deterring birds from entering loading docks.

Marketing Materials for Authorized Installers

Display Case



Our display case is the perfect visual tool to bring along when giving a sales presentation on bird control services.

Display Case

FREE

Interactive Display Case



The interactive display case showcases our products with case studies and specs all on one USB device.

Interactive Display Case Thumb Drive **FREE**

Customized Sell Sheets



We offer free customized "sell sheets" you can give to existing or potential customers to let them know you provide bird control as a service.

Customized Sell Sheets | FREE

Authorized Installer Logo Sticker*



When displayed on your vehicle, this waterproof vinyl sticker is perfect for letting customers know you can help them with their bird control needs.

Al Sticker (9" x 6")

FREE

Training Manual



Our free training manual is a comprehensive guide to all aspects the best brand in bird control of bird control including marketing, site evaluation, quoting and presentation.

Training Manual

FREE

Bird • B • Gone Hat



A Bird • B • Gone logo hat to show your customers that you use products.

Bird • B • Gone Hat

\$10.00

Bird • B • Gone Shirt



Bird • B • Gone logo shirt shows your customers you use only the best brand of bird control products.

Bird • B • Gone Shirt (other colors available) \$25.00

Bird-B-Gone Jacket



Bird • B • Gone logo jacket shelters you from the cold while letting your customers know that you use only the finest in bird control products.

Bird • B • Gone Jacket (style may vary)

\$40.00

Bird • B • Gone University



Earn your Authorized Installer certificate at Bird • B • Gone University!



Topics Include:

- How to market and make a profit in bird control
- Site evaluation
- Choosing the right product
- How to install products (hands-on training)
- Quoting bird jobs
- How to hang netting (hands-on)
- How to avoid problems and troubleshooting

Bird • B • Gone University is a free training course designed to teach the basics of bird control. Classes are taught by our bird control specialists who have extensive experience in the industry.

If you are looking to expand your business by increasing the services your company provides, or just looking to develop your bird control knowledge, this is an excellent opportunity for you.

Classes are held at the Bird • B • Gone manufacturing facility in Santa Ana, California, Those who attend are added to Bird • B • Gone's list of authorized installers and receive a certificate of completion. Bird • B • Gone University can also be applied as credit hours earned towards a Pest Control Applicators License in many states.

Interested in hosting a Bird • B • Gone University class at your business?

Call us at 1-800-392-6915 for details!



Learn how to install Bird Netting at Bird • B • Gone University

Worldwide On-site Training

Bird • B • Gone offers on-site training for complex bird jobs. Whether you need help choosing and installing products or would like on the job training, our sales team can help.

Call us at 1-800-392-6915 for details!



Group trainings are a great way to get all of your team involved in bird control projects. Bird • B • Gone training in Malaysia.



Our bird control engineers will train you on every aspect of the job.

Worldwide Network of Authorized Installers

Need an Authorized Installer?

If you don't have the time, resources or expertise to solve your bird problem we can connect you with a Bird • B • Gone certified Authorized Installer.

Bird • B • Gone has trained an extensive network of Authorized Installers who can install our line of professional bird control products around the world. Whether it's a commercial, residential or industrial setting, our installers have the training and experience needed to solve your pest bird problem.

We work closely with our installers to make sure they are qualified to help you get rid of your pest birds while providing excellent customer service.



Call us today for an Authorized Installer in your area. 1-800-392-6915

Be an Authorized Installer!

As an Authorized Bird •B•Gone installer you will be working with the highest quality bird control products on the market, and receive the best customer service. Whether bird control is your primary business or installing bird control products is a natural add-on to many of the services you already provide, it can be a lucrative way to add extra dollars to your bottom line. There are many advantages to becoming an Authorized Installer including:

Bird • B • Gone Products

Bird • B • Gone products are effective, humane and will deter pest birds from industrial, commercial or residential settings. We manufacture a majority of our products at our facility in the U.S. ensuring the highest quality bird control products with the longest guarantees.

Customer Service / Technical Support

Bird • B • Gone creates predictable success for our Authorized Installers by advising and supporting them on their jobs. Our goal is not to "sell" you products, but rather to position you to make the best quality decisions when it comes to designing, specifying and installing the right products to fit your job. Our bird control engineers have over 80 years of combined experience and will help you in all aspects of bird control.

Training

In addition to Bird •B •Gone University and our free training manual, we can provide on-site training for difficult installations and group trainings for your entire staff.

Marketing

We actively promote our line of professional bird control products and put a heavy emphasis on marketing. Bird • B • Gone offers free marketing materials to help build your bird control business.

Contact us today to become a certified Bird • B • Gone Authorized Installer.





Quality Guaranteed



- ▶ Stainless Steel Bird Spikes 10 Years
- Polycarbonate Bird Spikes 5 Years
- ▶ Bird Net 2000 Heavy Duty (Black) 10 Years
- No-Knot Netting 10 Years
- ▶ Bird Wire 5 Years
- ▶ Bat Netting 10 Years

Bird•B•Gone manufactures products in the United States ensuring they meet the highest standard of quality in the industry. All products go through an extensive quality control process before they leave our warehouse. All of our products are hand inspected and signed as they're packaged. This allows us to offer the industry's longest guarantees.






Each product is quality tested before it reaches our customers. Our bird netting is tested using ISO 9001 and ISO 1806 protocol standards.

Shipping

Bird•B•Gone provides the fastest and most efficient shipping in the industry. We make our own products which means same day shipping even on custom cut nets. We use a variety of trackable shipping methods to guarantee your product gets there on time including express air, ground and ocean. Wherever you are in the world, Bird•B•Gone will ship to you!



Specifications & CAD Details



Bird •B•Gone is the #1 specified bird control company by architects, engineers and government agencies. Since 1992, we have worked closely with the AEC industry both in the design and implementation of effective, humane and cost efficient bird control solutions.

Specifications, CAD and BIM details can be found on the Bird •B •Gone website. If you need help specifying bird control on a project, contact our bird control specialists who can help you choose the right product and even put you in contact with an Authorized Installer.

Innovation

At Bird •B • Gone, we make it our business to stay on top of the latest advancements in the bird control industry. We incorporate new technologies with tried and true methods to develop the most effective bird deterrents available.

- We have over 23 patents and 42 patents pending on bird control products; the most in the industry!
- ▶ Bird B Gone invented and patented the original plastic bird spike; a revolutionary tool in bird control.
- Our Bird Jolt Flat Track has recently received another patent on its anti-arcing and trough designs, the only electric track that prevents electrical shorting.
- The patented bend and crush design on our Bird B Gone Stainless Steel Spikes ensures the spikes stay secured in the base.

We are constantly developing new products to meet the needs of our customers. We strive to provide the most effective, efficient and reliable bird control methods on the market.



On-staff Ornithologist



The Bird Whisperer

Contact Dr. Rob Fergus directly by visting the "Ask the Bird Expert" page of our website.

Dr. Fergus will help to improve and develop new products and help customers tackle tough pest bird problems. It is our goal that Dr. Fergus will be instrumental in helping teach our customers about bird habits and behavior. Our "Ask the Bird Expert" division is a helpful new tool in the bird control industry.

Dr. Fergus is an ornithologist who specializes in urban ecology and human/wildlife interactions. He has more than 15 years of experience in creating and managing innovative bird conservation and citizen science programs for Audubon and other environmental non-profits. He is a conservationist studying urban bird ecology and how to make cities sustainable for birds and people. He received his Ph.D. in urban bird conservation from the University of Texas at Austin.

Dr. Fergus is very active in bird conservation programs nationwide. In 1999 he founded the Hornsby Bend Bird Observatory in Austin, TX and shortly after he created additional bird conservation programs and became the first executive director of the 2,500 member Travis Audubon Society.

From 2004 to 2009 Dr. Fergus acted as the Senior Scientist for the Urban Bird Conservation at the National Audubon Society. In addition to researching and consulting on human/bird interactions in cities across the United States, Latin America and Europe, Dr. Fergus currently teaches Urban Bird Conservation at Rowan University in Glassboro, New Jersey.

Dr. Rob has teamed up with Bird • B • Gone to help answer your bird questions and to bridge the gap between the science of nature and the nature of bird control. Ask him a question today!



Bird•B•Gone Gives Back



Our motto is "it's more than just bird control products, it's faith, family and friends" and we don't just say it, we live it! Not only do we treat our team members and customers like family we have extended this motto to include those less fortunate around the world. Bird • B • Gone has teamed with **Children of the Nations**, (a non-profit organization that provides holistic care to orphaned and destitute children across the globe) to help fund the building of orphanages in Liberia and Sierra Leone! We couldn't do it without you! Your continued support of Bird • B • Gone allows us to make a life-saving and positive impact on impoverished and orphaned childrens' lives!



Bird•B•Gone family and friends participate in a Food Packaging Marathon!



Children gather with Bruce on recent trip to Sierra Leone, Africa!







We support Children of the Nations!





Through your continued support of Bird • B • Gone products, we have been able to provide COTN in Sierra Leone with a brick making machine. This machine creates bricks out of local materials to create homes, classrooms and hospitals.



Entrance to the "Bird•B•Gone"

Dormitory.



On the porch of the Dormitory.



Interior of the "Bird • B • Gone"

Dormitory.

Some of Our Prestigious Clients

Government

United States Postal Service Ellis Island Monument Yosemite National Park Jackson County Courthouse, MS

NASA

City of Austin, Texas

Orange County (FL) Convention Center

USDA

City of Phoenix

US Bureau of Land Management

City of Portland

NYPD

US Fish & Wildlife

CA Department of Corrections

City of Ithaca Consolidated Transit

City of Minneapolis Port of Portland

Port of Seattle

San Francisco Housing Auth.

SEPTA - Philadelphia

Federal Aviation Administration

Transportation

Union Pacific Railroad

Delta Airlines

New York State Department of

Transportation

Bay Area Rapid Transit

Chicago Transit Authority

Pennsylvania Department of Transportation

Long Island Railroad

Southwest Airlines

Fort Worth Transportation Center

American Airlines

Continental Airlines

MTA - New York

Amtrak

Minnesota DOT

MTA Los Angeles

Delaware DOT

Oats Transit Missouri

Dallas Area Rapid Transit

Miami-Dade DOT

Jacksonville FL DOT

Construction

Trammell Crow

Lusardi Construction

Whiting Turner Construction

FineLine Construction

ABM Engineering

Walsh Construction

Archer Daniels Midland

Barton Malow Company

Skanska

Bouis Lend Lease

Clark Construction

FH Paschen

CIANBRO Corporation

S.J. Amoroso

Swinerton Builders

Kiewit

McCarthy Contstruction

Flintco Construction

Cadence McShane

Hoffman Construction

Turner Construction



Ft. Smith Air Force Base



Terrebonne General Medical Center



Safeway Stores

Utility

Pacific Gas And Electric South Carolina Electric and Gas

Socal Edison XCEL Energy

BC Hydro

LA Dept Water & Power

Sierra Pacific Power Georgia Power

Florida Power & Light

TXU Generation Co

Duke Energy

American Electric Power

Entergy

Genon Energy

Centerpoint Energy

Bonneville Power Administration -

Seattle

Detroit Edison Power

Military

Camp Pendleton

Scott Air Force Base

Andrews Air Force Base

Camp Leieune

United States Coast Guard

Fort Stewart

Fort Bragg

Nellis Air Force Base

Travis Air Force Base

Vandenberg Air Force Base

Hurlburt Field

MCAS Miramar

March Air Force Base

US Army Corps of Engineers

Offuit Air Force Base

Naw Public Works

Altus Air Force Base

McGuire Air Force Base

Buckley Air Force Base

Hospitals

Kaiser Permanente

V.A. Medical Center - Long Beach, CA

Cedars-Sinai Medical Center

Mayo Clinic

Cardinal Health

St. John's Hospital - MI

St. Mary's Hospital - MN

LSU Medical Center Three Rivers Med Center

NYS Psychiatric Institute

Tyco Healthcare

Mercy Medical

Elmhurst Memorial Hospital

Presbyterian Hospital Charlotte, NC

Bergan Mercy Hospital - Omaha, NE

Texas Children's Hospital

University of Utah Huntsman Cancer

Institute

Florida Hospital Ormond Memorial Terrebonne General Medical Center

Airports

Delta Airlines Southwest Airlines American Airlines Continental Airlines Gerald Ford Airport Portland International Airport Seattle-Tacoma Airport Long Beach Airport, CA San Diego County Regional Airport Raleigh Durham International Airport Pitt Greenville Airport - NC Boston Regional Airport - Manchester, NH Philadelphia International Airport Dallas-Fort Worth International Airport Rochester International Airport Denver International Airport Asheville Regional Airport - NC Tulsa Airport Authority, OK Kahului Airport, HI

Municipalities

Minneapolis, MN Austin, TX Phoenix, AZ Portland, OR Dallas, TX Houston, TX Las Vegas, NV Los Angeles, CA Milwaukee, WI Sacramento, CA Tucson, AZ Salt Lake City, UT Tampa, FL Wichita, KS Chattanooga, TN Columbus, OH Cedar Rapids, IA Santa Monica,CA Baltimore, MD

Stadiums

Yankee Stadium Soldier Field Citi Field Ball Park Wrigley Field Oklahoma State University Camden Yards Lincoln Financial Field Citizens Bank Park Texas A&M Olsen Field Texas A&M Kyle Field Sacramento City College Hughes Stadium Chesapeake Energy Arena Kentucky Horse Park Petco Field - San Diego, CA Swayze Field - Mississippi Flagler Dog Track







Medical Center - Anaheim, CA



Airplane Hangar, Arkansas

Education

LA Unified School District School District of Philadelphia University of Arizona University of Southern California Purdue University Tulane University Texas Tech University Louisiana State University **UCLA** University of Oklahoma University of Texas University of Georgia University of Missouri UC Santa Barbara Cal Poly San Luis Obispo UC San Francisco Cornell University University of Washington Portland State University

California Institute of Technology

Retail

Home Depot Walmart. McDonald's Nordstrom Costco Sears Kmart Walgreens Hewlett-Packard PetSmart Lowe's Home Improvement **CVS** Ethan Allen Carmax Target Burger King Meijer Publix Super Markets Kraft Foods

Safeway Stores

Misc.

Seaworld Gallo Winery Hertz Rent A Car Ritz-Carlton Marriott Hotels Florida Aquarium Six Flags Caesar's Palace Lincoln Center for the Performing Arts Disney Tropicana Products Leprino Foods Life Foods Kennedy Space Center Valero Loury Park Tampa Zoo Alcatraz 9/11 Memorial - NJ Exxon BP

800-392-6915 • birdbgone.com

Experience the Bird B Gone Difference!

Best in Class Products









Bird Spikes

Bird•B•Gone's bird spikes keep larger pest birds like pigeons and gulls from landing and roosting on flat or curved surfaces. We proudly make our bird spikes in the USA!

Bird Netting

Bird•B•Gone supplies superior netting, installation tools and hardware for a range of applications including ponds, buildings and equipment. We offer custom cut nets to fit any job with same day shipping to get the product to you quickly.

Electric Track

Our patented shock track bird deterrent systems are the lowest profile bird deterrents we offer. Shock track safely prevents birds from landing or nesting in unwanted areas and are virtually invisible when installed. We make shock track in the USA!

And More!

Bird•B•Gone offers hundreds of bird control products that are humane and effective. We have everything from preparing the site to completing the installation. Call us at 800-392-6915 for free advice on which products to use on your next bird control job.



Free Training And Support

We support our customers through all aspects of bird control, including bids, on-site training and technical support.



Customer Service

Our bird control engineers have a combined 80+ years of hands on experience. Our friendly staff of bird control experts ensure that you have the product you need to finish the job right.

