

ACTIVE INGREDIENT Metalaxyl

% ACTIVE INGREDIENT 44.08%

FORMULATION

Flowable

CHEMICAL FAMILY Phenylamide Fungicide

BRAND ALTERNATIVE Subdue Maxx®

MODE OF ACTION

Systemic

SIGNAL WORD
Caution

PACKAGING INFORMATION 4 x 1 gal.

REGULATE SELECT

FUNGICIDE

Systemic Protection & Control



Regulate Select ™ is a systemic fungicide that provides control of certain diseases in turf, ornamentals & greenhouses. With a unique water-based formulation, Regulate Select is low odor and mixes thoroughly and easily into most commonly used fungicide and fertilizer tank mixes. Regulate Select works both through contact action with the root system, as well as systemic movement through the entire plant. This combination works quickly and aggressively to stop and prevent Pythium infections.

- Effectively controls Pythium in all turf species
- Low odor
- Unique water-based flowable formulation
- Exceptional tank mix compatibility
- Same use rate as Subdue Maxx®
- · For use on both established and newly seeded turf





FUNGICIDE

Application Information:

Ornamentals

Use this product on container, bench, or bed-grown ornamentals in greenhouses or outdoor nurseries, and for use on ornamentals grown for indoor and outdoor landscaping, for control of damping-off and root and stem rot diseases caused by Pythium and Phytophthora. This product may be applied through irrigation systems, as a soil drench or as a soil surface spray, or incorporated into a pre-potting growing media for subsequent seeding or transplanting of ornamentals.



Citrus In Nurseries And Landscape Plantings (Non-Bearing)

Use this product on non-bearing citrus for control of citrus foot rot, root rot, and trunk canker caused by Phytophthora spp. Apply to the soil as a drench or as a spray in a banded application. Make the first application of this product at the time of planting. Make repeat applications at 3-month intervals during the period when trees are actively growing.

Conifers In Nurseries and Plantations (Including Christmas Trees)

Use of this product will aid in the control of Phytophthora root rot when used in conjunction with good cultural practices. The use of this product will not overcome poor management practices, such as planting on sites that are prone to flooding or are poorly drained. This product will not revitalize trees showing moderate to severe disease symptoms.

Turfgrass

This product controls Pythium blight and Pythium damping-off in turf, yellow tuft (downy mildew) in bluegrass, and downy mildew in St. Augustine grass. For optimum results, begin applications before symptoms occur when conditions first favor disease. During periods of prolonged conditions favorable for disease development, use on a 14-day schedule. For long-term control of Pythium in areas when using seed treated with the active ingredient contained in this product, make an application of this product 7 to 10 days after seeding. For control of other diseases of turf, use Propiconazole Select alone or in a tank-mix combination with this product. Refer to the Propiconazole Select label for rates, precautions, restrictions, etc.

DISEASES CONTROLLED

Pythium
Phytophthora spp.
Downy Mildew
Yellow Tuft

LABELED USES

Golf Courses
Lawns
Residential Landscapes
Instructional Landscapes
Public Landscape Areas
Commercial Landscapes
Industrial Landscapes
Parks
Recreational Areas
Athletic Fields
Sod Farms

