

Revision date : 2019/05/22 Version: 9.0

Page: 1/14 (30595735/SDS\_CPA\_US/EN)

# 1. Identification

Product identifier used on the label

# Freehand CA 1.75G Herbicide

# Recommended use of the chemical and restriction on use

Recommended use\*: crop protection product, herbicide Recommended use\*: herbicide

\* The "Recommended use" identified for this product is provided solely to comply with a Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

# Details of the supplier of the safety data sheet

<u>Company:</u> BASF CORPORATION 100 Park Avenue Florham Park, NJ 07932, USA

Telephone: +1 973 245-6000

# **Emergency telephone number**

CHEMTREC: 1-800-424-9300 BASF HOTLINE: 1-800-832-HELP (4357)

### Other means of identification

Substance number: EPA Registration number: Molecular formula: Chemical family: Synonyms: 305512 7969-358 C29 H33 N4 CI O8 S aniline derivative, carboxylic acid amide, halogenated pendimethalin ; dimethenamid-p

# 2. Hazards Identification

### According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

# **Classification of the product**

Eye Dam./Irrit.	2A	Serious eye damage/eye irritation
Carc.	1A (by inhalation)	Carcinogenicity
Aquatic Acute	3	Hazardous to the aquatic environment - acute

# Safety Data Sheet Freehand CA 1.75G Herbicide Revision date : 2019/05/22

sion date : 2019/05/22 sion: 9.0		(30595735/SDS_0	Page: 2/14 CPA_US/EN
Aquatic Chronic STOT RE	3 2 (by inhalation)	Hazardous to the aquatic environ Specific target organ toxicity — re exposure	
STOT RE	1 (by inhalation)	Specific target organ toxicity — re exposure	epeated
Label elements			
Pictogram:			
Signal Word:			
Danger			
Hazard Statement:			
H319	Causes serious eye irrita		
H350	May cause cancer by inh		
H372	Causes damage to organs (Kidney, Immune system, Lung) through prolonged or repeated exposure (inhalation).		
H373	May cause damage to organs (Kidney, Immune system, Lung) through prolonged or repeated exposure (inhalation).		
H402	Harmful to aquatic life.		
H412	Harmful to aquatic life with long lasting effects.		
Precautionary Statemer			
P280	Wear protective gloves/p protection.	protective clothing/eye protection/face	
P201	Obtain special instruction		
P260	Do not breathe dust/gas/		
P202	Do not handle until all sa understood.	fety precautions have been read and	
P273	Avoid release to the envi	ironment.	
P270	Do not eat, drink or smoke when using this product.		
P264	Wash with plenty of water and soap thoroughly after handling.		
Precautionary Statemer			
P305 + P351 + P338	contact lenses, if present	ously with water for several minutes. F t and easy to do. Continue rinsing.	Remove
P314	Get medical advice/atten		
P308 + P311		I: Call a POISON CENTER or doctor/	
P337 + P311	If eye irritation persists: (	Call a POISON CENTER or doctor/phy	ysician.
Precautionary Statemer P405	nts (Storage): Store locked up.		
<b>Precautionary Statemer</b>		ainer to hazardous or special waste c	
P501			

# Hazards not otherwise classified

Labeling of special preparations (GHS): May produce an allergic reaction. Contains: pendimethalin, (S)-dimethenamid

Revision date : 2019/05/22 Version: 9.0 Page: 3/14 (30595735/SDS CPA US/EN)

This product is not combustible in the form in which it is shipped by the manufacturer, but may form a combustible dust through downstream activities (e.g. grinding, pulverizing) that reduce its particle size.

# 3. Composition / Information on Ingredients

# According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

<u>CAS Number</u> 40487-42-1 163515-14-8 14808-60-7	<u>Weight %</u> 1.0 % 0.75 % 5.0 - 10.0%	<u>Chemical name</u> pendimethalin dimethenamid-P (ISO); (S)-2-chloro-N-(2,4-dimethyl-3- thienyl)-N-(2-methoxy-1-methylethyl)acetamide crystalline silica
96-48-0	0.1 - 3.0%	Gamma-butyrolactone

# 4. First-Aid Measures

### Description of first aid measures

### General advice:

Remove contaminated clothing.

First aid personnel should pay attention to their own safety. If the patient is likely to become unconscious, place and transport in stable sideways position (recovery position).

### If inhaled:

Keep patient calm, remove to fresh air, seek medical attention.

### If on skin:

Immediately wash thoroughly with soap and water, seek medical attention.

### If in eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

### If swallowed:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

# Most important symptoms and effects, both acute and delayed

Symptoms: orange-red coloured urine caused by dye (not associated with methemoglobinemia) The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11., (Further) symptoms and / or effects are not known so far

# Indication of any immediate medical attention and special treatment needed

#### Note to physician

Treatment:

Treat according to symptoms (decontamination, vital functions), no known specific antidote.

Revision date : 2019/05/22 Version: 9.0 Page: 4/14 (30595735/SDS CPA US/EN)

# 5. Fire-Fighting Measures

# **Extinguishing media**

Suitable extinguishing media: foam, dry powder, carbon dioxide, water spray

# Special hazards arising from the substance or mixture

Hazards during fire-fighting:

carbon monoxide, carbon dioxide, Sulphur dioxide, nitrogen dioxide, nitrogen oxide, Hydrogen chloride, halogenated hydrocarbons, To be archived: Hydrocarbons, The substances/groups of substances mentioned can be released in case of fire. If product is heated above decomposition temperature, toxic vapours will be released.

# Advice for fire-fighters

Protective equipment for fire-fighting: Firefighters should be equipped with self-contained breathing apparatus and turn-out gear.

### **Further information:**

Evacuate area of all unnecessary personnel. Contain contaminated water/firefighting water. Do not allow to enter drains or waterways. Dusty conditions may ignite explosively in the presence of an ignition source causing flash fire.

# 6. Accidental release measures

### Further accidental release measures:

Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Avoid the formation and build-up of dust - danger of dust explosion. Dust in sufficient concentration can result in an explosive mixture in air. Handle to minimize dusting and eliminate open flame and other sources of ignition.

# Personal precautions, protective equipment and emergency procedures

Take appropriate protective measures. Clear area. Shut off source of leak only under safe conditions. Extinguish sources of ignition nearby and downwind. Ensure adequate ventilation. Wear suitable personal protective clothing and equipment.

# **Environmental precautions**

Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater. Contain contaminated water/firefighting water.

# Methods and material for containment and cleaning up

Dike spillage. Pick up with suitable absorbent material. Place into suitable containers for reuse or disposal in a licensed facility. Spilled substance/product should be recovered and applied according to label rates whenever possible. If application of spilled substance/product is not possible, then spills should be contained, solidified, and placed in suitable containers for disposal. After decontamination, spill area can be washed with water. Collect wash water for approved disposal.

# 7. Handling and Storage

# Precautions for safe handling

RECOMMENDATIONS ARE FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS. PESTICIDE APPLICATORS & WORKERS must refer to the Product Label and Directions for Use attached to the product for Agricultural Use Requirements in accordance with the EPA Worker Protection Standard 40 CFR part 170. Ensure adequate

Revision date : 2019/05/22 Version: 9.0

### Page: 5/14 (30595735/SDS CPA US/EN)

ventilation. Provide good ventilation of working area (local exhaust ventilation if necessary). Keep away from sources of ignition - No smoking. Keep container tightly sealed. Protect contents from the effects of light. Protect against heat. Protect from air. Handle and open container with care. Do not open until ready to use. Once container is opened, content should be used as soon as possible. Avoid aerosol formation. Avoid dust formation. Provide means for controlling leaks and spills. Do not return residues to the storage containers. Follow label warnings even after container is emptied. The substance/ product may be handled only by appropriately trained personnel. Avoid all direct contact with the substance/product. Avoid contact with the skin, eyes and clothing. Avoid inhalation of dusts/mists/vapours. Wear suitable personal protective clothing and equipment.

### Protection against fire and explosion:

The relevant fire protection measures should be noted. Fire extinguishers should be kept handy. Avoid all sources of ignition: heat, sparks, open flame. Sources of ignition should be kept well clear. Avoid extreme heat. Keep away from oxidizable substances. Electrical equipment should conform to national electric code. Ground all transfer equipment properly to prevent electrostatic discharge. Electrostatic discharge may cause ignition. Avoid dust formation. Dust in sufficient concentration can result in an explosive mixture in air. Handle to minimize dusting and eliminate open flame and other sources of ignition. Routine housekeeping should be instituted to ensure that dusts do not accumulate on surfaces. Dry powders can build static electricity charges when subjected to the friction of transfer and mixing operations. Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres. Refer to NFPA 654, Standard for the Prevention of Fire and Dust Explosions from the Manufacturing, Processing, and Handling of Combustible Particulate Solids (2013 Edition) for safe handling.

### Conditions for safe storage, including any incompatibilities

Segregate from incompatible substances. Segregate from foods and animal feeds. Segregate from textiles and similar materials.

Further information on storage conditions: Keep only in the original container in a cool, dry, wellventilated place away from ignition sources, heat or flame. Protect containers from physical damage. Protect against contamination. The authority permits and storage regulations must be observed. Protect from temperatures above: 40 °C

Changes in the properties of the product may occur if substance/product is stored above indicated temperature for extended periods of time.

# 8. Exposure Controls/Personal Protection

# Users of a pesticidal product should refer to the product label for personal protective equipment requirements.

### Components with occupational exposure limits

crystalline silica	OSHA PEL	TWA value 0.05 mg/m3 (Respirable dust); OSHA Action level 0.025 mg/m3 (Respirable dust):
	ACGIH TLV	TWA value 0.025 mg/m3 Respirable fraction;

### Advice on system design:

Whenever possible, engineering controls should be used to minimize the need for personal protective equipment. It is recommended that all dust control equipment such as local exhaust ventilation and material transport systems involved in handling of this product contain explosion relief vents or an explosion suppression system or an oxygen deficient environment. Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment). Use only appropriately classified electrical equipment and powered industrial trucks.

Revision date : 2019/05/22 Version: 9.0

### Personal protective equipment

# RECOMMENDATIONS FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS:

### **Respiratory protection:**

Wear respiratory protection if ventilation is inadequate. Wear a NIOSH-certified (or equivalent) organic vapour/particulate respirator. For situations where the airborne concentrations may exceed the level for which an air purifying respirator is effective, or where the levels are unknown or Immediately Dangerous to Life or Health (IDLH), use NIOSH-certified full facepiece pressure demand self-contained breathing apparatus (SCBA) or a full facepiece pressure demand supplied-air respirator (SAR) with escape provisions.

### Hand protection:

Chemical resistant protective gloves, Protective glove selection must be based on the user's assessment of the workplace hazards.

### Eye protection:

Safety glasses with side-shields. Tightly fitting safety goggles (chemical goggles). Wear face shield if splashing hazard exists.

### **Body protection:**

Body protection must be chosen depending on activity and possible exposure, e.g. head protection, apron, protective boots, chemical-protection suit.

### General safety and hygiene measures:

Wear long sleeved work shirt and long work pants in addition to other stated personal protective equipment. Work place should be equipped with a shower and an eye wash. Handle in accordance with good industrial hygiene and safety practice. Personal protective equipment should be decontaminated prior to reuse. Gloves must be inspected regularly and prior to each use. Replace if necessary (e.g. pinhole leaks). Take off immediately all contaminated clothing. Store work clothing separately. Hands and/or face should be washed before breaks and at the end of the shift. No eating, drinking, smoking or tobacco use at the place of work. Keep away from food, drink and animal feeding stuffs.

# 9. Physical and Chemical Properties

Form: Odour: Odour threshold: Colour: pH value:	granules characteristic Not determined due to potential health hazard by inhalation. yellow to brown approx. 3.0 - 5.0 ( 25 °C)
Melting point:	> 100 °C
	The statements are based on the properties of the individual components.
Boiling point:	The product is a non-volatile solid., not applicable
Flash point:	not applicable
Flammability:	Based on the structure or composition there is no indication of flammability
Vapour pressure:	not applicable
Bulk density:	38 lb/ft3
Vapour density:	not applicable
Self-ignition temperature:	not self-igniting Information based on the main components.
lemperature.	

Revision date : 2019/05/22 Page: 7/14 Version: 9.0 (30595735/SDS CPA US/EN) Thermal decomposition: carbon monoxide, carbon dioxide, Sulphur dioxide, nitrogen dioxide, nitrogen oxide, Hydrogen chloride, halogenated hydrocarbons, To be archived: Hydrocarbons Stable at ambient temperature. If product is heated above decomposition temperature toxic vapours may be released. Viscosity, dynamic: not applicable, the product is a solid Solubility in water: dispersible Evaporation rate: not applicable

parameters is indicated in this section.

If necessary, information on other physical and chemical

# 10. Stability and Reactivity

Other Information:

### Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Oxidizing properties: not fire-propagating

### **Chemical stability**

The product is stable if stored and handled as prescribed/indicated.

### Possibility of hazardous reactions

The product is chemically stable. Hazardous polymerization will not occur. No hazardous reactions if stored and handled as prescribed/indicated.

### **Conditions to avoid**

Avoid all sources of ignition: heat, sparks, open flame. Avoid prolonged storage. Avoid electro-static discharge. Avoid contamination. Avoid prolonged exposure to extreme heat. Avoid extreme temperatures. This product may form an explosive mixture if: 1. the dust is suspended in the atmosphere as a dust cloud AND 2. the concentration of the dust is above the lower explosion limit (LEL) AND 3. the limiting oxygen concentration (LOC) is exceeded.

### Incompatible materials

strong oxidizing agents, strong reducing agents

### Hazardous decomposition products

Decomposition products: Hazardous decomposition products: No hazardous decomposition products if stored and handled as prescribed/indicated.

Thermal decomposition: Possible thermal decomposition products: carbon monoxide, carbon dioxide, Sulphur dioxide, nitrogen dioxide, nitrogen oxide, Hydrogen chloride, halogenated hydrocarbons, To be archived: Hydrocarbons Stable at ambient temperature. If product is heated above decomposition temperature toxic vapours may be released.

# **11. Toxicological information**

### Primary routes of exposure

Revision date : 2019/05/22 Version: 9.0 Page: 8/14 (30595735/SDS CPA US/EN)

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

# **Acute Toxicity/Effects**

Acute toxicity

Assessment of acute toxicity: Moderately toxic after single ingestion. Slightly toxic after short-term skin contact. Slightly toxic after short-term inhalation.

<u>Oral</u> Type of value: LD50 Species: rat Value: > 2,000 mg/kg (OECD Guideline 423) No mortality was observed.

Inhalation Type of value: LC50 Species: rat Value: > 5.103 mg/l An aerosol with respirable particles was tested. No mortality was observed.

<u>Dermal</u>

Type of value: LD50 Species: rat Value: > 2,000 mg/kg (OECD Guideline 402) No mortality was observed.

Assessment other acute effects

Assessment of STOT single: Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

The product has not been tested. The statement has been derived from the properties of the individual components.

Irritation / corrosion

Assessment of irritating effects: May cause slight irritation to the skin. May cause slight irritation to the eyes.

<u>Skin</u> Species: rabbit Result: non-irritant Method: OECD Guideline 404

<u>Eye</u> Species: rabbit Result: Irritant. Method: OECD Guideline 405

<u>Sensitization</u> Assessment of sensitization: Caused skin sensitization in animal studies.

Buehler test Species: guinea pig Result: Non-sensitizing.

Revision date : 2019/05/22 Version: 9.0 Page: 9/14 (30595735/SDS CPA US/EN)

#### Aspiration Hazard

No aspiration hazard expected. The product has not been tested. The statement has been derived from the properties of the individual components.

### **Chronic Toxicity/Effects**

#### Repeated dose toxicity

Assessment of repeated dose toxicity: The product has not been tested. The statement has been derived from the properties of the individual components. The respiratory fraction is < 0.1 %, therefore the classification regarding inhalation toxicity does not apply.

#### Information on: pendimethalin

Assessment of repeated dose toxicity: No substance-specific organtoxicity was observed after repeated administration to animals. Adaptive effects were observed after repeated exposure in animal studies.

Information on: dimethenamid-P (ISO); (S)-2-chloro-N-(2,4-dimethyl-3-thienyl)-N-(2-methoxy-1-methylethyl)acetamide

Assessment of repeated dose toxicity: Adaptive effects were observed after repeated exposure in animal studies.

-----

#### Genetic toxicity

Assessment of mutagenicity: The product has not been tested. The statement has been derived from the properties of the individual components. Mutagenicity tests revealed no genotoxic potential.

#### Carcinogenicity

Assessment of carcinogenicity: The product has not been tested. The statement has been derived from the properties of the individual components.

#### Information on: Dimethenamid-P

Assessment of carcinogenicity: In long-term studies in rats and mice in which the substance was given by feed, a carcinogenic effect was not observed.

#### Information on: pendimethalin

Assessment of carcinogenicity: In long-term studies in mice in which the substance was given by feed, a carcinogenic effect was not observed. In long-term studies in rats the substance induced thyroid tumors. A marked decrease in body weight gain and an increase in benign thyroid proliferative lesions were observed in the lifetime rat study at the highest dose tested. The substance is not considered to pose a carcinogenic risk at low human exposure levels.

#### Reproductive toxicity

Assessment of reproduction toxicity: The product has not been tested. The statement has been derived from the properties of the individual components. The results of animal studies gave no indication of a fertility impairing effect.

#### **Teratogenicity**

Assessment of teratogenicity: The product has not been tested. The statement has been derived from the properties of the individual components. Animal studies gave no indication of a developmental toxic effect at doses that were not toxic to the parental animals.

#### Other Information

Misuse can be harmful to health.

### Symptoms of Exposure

Revision date : 2019/05/22 Version: 9.0 Page: 10/14 (30595735/SDS CPA US/EN)

orange-red coloured urine caused by dye (not associated with methemoglobinemia) The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11., (Further) symptoms and / or effects are not known so far

Medical conditions aggravated by overexposure

Individuals with pre-existing diseases of the respiratory system, skin or eyes may have increased susceptibility to excessive exposures.

# **12. Ecological Information**

### Toxicity

Toxicity to fish

Information on: pendimethalin LC50 (96 h) 0.196 mg/l, Oncorhynchus mykiss

Information on: dimethenamid-P (ISO); (S)-2-chloro-N-(2,4-dimethyl-3-thienyl)-N-(2-methoxy-1methylethyl)acetamide LC50 (96 h) 6.3 mg/l, Oncorhynchus mykiss

Aquatic invertebrates

Information on: pendimethalin EC50 (48 h) 0.147 mg/l, Daphnia magna

Information on: dimethenamid-P (ISO); (S)-2-chloro-N-(2,4-dimethyl-3-thienyl)-N-(2-methoxy-1methylethyl)acetamide EC50 (48 h) 12 mg/l, Daphnia magna

Aquatic plants

Information on: pendimethalin EC50 (7 d) 0.012 mg/l, Lemna gibba EC10 (7 d) 0.0029 mg/l, Lemna gibba No observed effect concentration (7 d) 0.003 mg/l, Lemna gibba EC50 (72 h) 0.0093 mg/l, Selenastrum capricornutum EC10 (72 h) 0.0028 mg/l, Selenastrum capricornutum

Information on: dimethenamid-P (ISO); (S)-2-chloro-N-(2,4-dimethyl-3-thienyl)-N-(2-methoxy-1methylethyl)acetamide EC50 (72 h) 0.0303 mg/l (growth rate), Pseudokirchneriella subcapitata EC10 (72 h) 0.0156 mg/l (growth rate), Pseudokirchneriella subcapitata EC50 (14 d) 0.031 mg/l (growth rate), Lemna gibba EC10 (14 d) 0.0064 mg/l (growth rate), Lemna gibba

Chronic toxicity to fish

Information on: pendimethalin No observed effect concentration (179 d) 0.02 mg/l, Brachydanio rerio (semistatic) No observed effect concentration (288 d) 0.006 mg/l, Pimephales promelas

Revision date : 2019/05/22 Version: 9.0

Page: 11/14 (30595735/SDS CPA US/EN)

Information on: dimethenamid-P (ISO); (S)-2-chloro-N-(2,4-dimethyl-3-thienyl)-N-(2-methoxy-1methylethyl)acetamide No observed effect concentration (90 d) 0.120 mg/l, Oncorhynchus mykiss

Chronic toxicity to aquatic invertebrates

Information on: pendimethalin No observed effect concentration (21 d) 0.0145 mg/l, Daphnia magna

Information on: dimethenamid-P (ISO); (S)-2-chloro-N-(2,4-dimethyl-3-thienyl)-N-(2-methoxy-1methylethyl)acetamide No observed effect concentration (21 d) 0.680 mg/l, Daphnia magna

<u>Assessment of terrestrial toxicity</u> Acutely harmful to terrestrial organisms.

Other terrestrial non-mammals

Information on: Dimethenamid-P LD50 1,068 mg/kg, Colinus virginianus LC50 > 5,620 mg/kg, Colinus virginianus LC50 > 5,620 mg/kg, Anas platyrhynchos LD50 (24 d) > 1000 ug/bee, Apis mellifera

Information on: pendimethalin LD50 1,421 mg/kg, Anas platyrhynchos Acutely harmful to terrestrial organisms. LD50 49.8 ug/bee, Apis mellifera Acutely harmful to terrestrial organisms.

# Persistence and degradability

Assessment biodegradation and elimination (H2O)

Information on: pendimethalin

Not readily biodegradable (by OECD criteria).

Information on: dimethenamid-P (ISO); (S)-2-chloro-N-(2,4-dimethyl-3-thienyl)-N-(2-methoxy-1-methylethyl)acetamide

Not readily biodegradable (by OECD criteria).

Information on: Quartz (SiO2)

Inorganic product which cannot be eliminated from water by biological purification processes. The product is not very soluble in water and can thus be removed from water mechanically in suitable effluent treatment plants.

-----

# **Bioaccumulative potential**

**Bioaccumulation potential** 

Information on: pendimethalin

Revision date : 2019/05/22 Version: 9.0

Bioconcentration factor: 5,100

Based on a weight of evidence, the compound will not bioaccumulate.

Information on: dimethenamid-P (ISO); (S)-2-chloro-N-(2,4-dimethyl-3-thienyl)-N-(2-methoxy-1-methylethyl)acetamide

No significant accumulation in organisms is expected as a result of the distribution coefficient of noctanol/water (log Pow).

### Mobility in soil

<u>Assessment transport between environmental compartments</u> The product has not been tested. The statement has been derived from the properties of the individual components.

### Information on: pendimethalin

The substance will slowly evaporate into the atmosphere from the water surface. Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.

Information on: dimethenamid-P (ISO); (S)-2-chloro-N-(2,4-dimethyl-3-thienyl)-N-(2-methoxy-1-methylethyl)acetamide

Following exposure to soil, the product trickles away and can - dependant on degradation - be transported to deeper soil areas with larger water loads.

# **Additional information**

Other ecotoxicological advice:

The ecological data given are those of the active ingredient. Do not release untreated into natural waters.

# 13. Disposal considerations

### Waste disposal of substance:

Pesticide wastes are regulated. Improper disposal of excess pesticide, spray mix or rinsate is a violation of federal law. If pesticide wastes cannot be disposed of according to label instructions, contact the State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

#### **Container disposal:**

Rinse thoroughly at least three times (triple rinse) in accordance with EPA recommendations. Consult state or local disposal authorities for approved alternative procedures such as container recycling. Recommend crushing, puncturing or other means to prevent unauthorized use of used containers.

# **14. Transport Information**

Land transport USDOT

Not classified as a dangerous good under transport regulations

Revision date : 2019/05/22 Version: 9.0	Page: 13/14 (30595735/SDS_CPA_US/EN)
<b>Sea transport</b> IMDG	
Hazard class: Packing group: ID number: Hazard label: Marine pollutant: Proper shipping name:	9 III UN 3077 9, EHSM YES ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (contains PENDIMETHALIN, DIMETHENAMID-P)
Air transport IATA/ICAO	
Hazard class: Packing group: ID number: Hazard label: Proper shipping name:	9 III UN 3077 9, EHSM ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (contains PENDIMETHALIN, DIMETHENAMID-P)

# **15. Regulatory Information**

### Federal Regulations

Registration status:			
Crop Protection	TSCA, US	released / listed	

Chemical TSCA, US blocked / not listed

**EPCRA 311/312 (Hazard categories):** Refer to SDS section 2 for GHS hazard classes applicable for this product.

# State regulations

State RTK	CAS Number	Chemical name
PA	14808-60-7	crystalline silica
MA	14808-60-7	crystalline silica
NJ	14808-60-7	crystalline silica

Safe Drinking Water & Toxic Enforcement Act, CA Prop. 65:

# BASF Risk Assessment, CA Prop. 65:

Based on an evaluation of the product's composition and the use(s), this product does not require a California Proposition 65 Warning.

### Labeling requirements under FIFRA

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label.

Revision date : 2019/05/22 Version: 9.0 Page: 14/14 (30595735/SDS\_CPA\_US/EN)

CAUTION: May cause moderate but temporary irritation to the eyes. HARMFUL IF SWALLOWED. HARMFUL IF ABSORBED THROUGH SKIN. KEEP OUT OF REACH OF CHILDREN. KEEP OUT OF REACH OF DOMESTIC ANIMALS. Avoid contact with the skin, eyes and clothing. Avoid inhalation of dusts.

# **16. Other Information**

SDS Prepared by:

BASF NA Product Regulations SDS Prepared on: 2019/05/22

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE, IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY OUR COMPANY HEREUNDER ARE GIVEN GRATIS AND WE ASSUME NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND INFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK. END OF DATA SHEET